



Certificate of Analysis











FOR COMPLIANCE

Sample:AL30829003-002
Harvest/Lot ID: JYDG23241B
Batch#: JYDG23241B
Seed to Sale# JYDG23241B
Sample Size Received: 20 units
Total Amount: 6000 units
Retail Product Size: 53.053 gram
Sampled: 08/29/23 12:15 PM
Sampling Start: 12:15 PM
Sampling End: 12:15 PM
Sampling Method: SOP.T.20.010.NY

PASSED

Pages 1 of 1

Naturae LLC
License # : OCM-AUCP-2022-000028
4883 State Route 67
Hoosick Falls, NY, 12090, US

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration NOT TESTED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes NOT TESTED

Cannabinoid **PASSED**



	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	CBN	D8-THC	D9-THC	THCA	THCV
%	<LOQ	<LOQ	0.0044	0.0013	<LOQ	0.0008	0.0088	<LOQ	0.0020	<LOQ	0.1949	<LOQ	0.0034
mg/unit	<LOQ	<LOQ	2.334	0.690	<LOQ	0.424	4.669	<LOQ	1.061	<LOQ	103.400	<LOQ	1.804
LOQ	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight: 3.0061g
Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 08/30/23 16:17:50

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
09/05/23