



Certificate of Analysis

FOR COMPLIANCE

Sample:AL30929005-002
Harvest/Lot ID: JYDG23272A
Batch#: JYDG23272A
Seed to Sale# JYDG23272A
Sample Size Received: 13 units
Total Amount: 3000 units
Retail Product Size: 50.767 units
Sampled: 09/28/23 05:15 PM
Sampling Start: 05:15 PM
Sampling End: 05:15 PM
Sampling Method: SOP.T.20.010.NY

PASSED

Pages 1 of 1

Naturae LLC

License # : OCM-AUCP-2022-000028

4883 State Route 67
Hoosick Falls, NY, 12090, US


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
NOT TESTED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.2137%

Total THC/Container : 108.489 mg



Total CBD

0.0010%

Total CBD/Container : 0.508 mg



Total Cannabinoids

0.2384%

Total Cannabinoids/Container : 121.029 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	CBN	D8-THC	D9-THC	THCA	THCV
%	<LOQ	<LOQ	0.0037	0.0010	<LOQ	<LOQ	0.0168	<LOQ	0.0024	<LOQ	0.2137	<LOQ	0.0008
mg/unit	<LOQ	<LOQ	1.878	0.508	<LOQ	<LOQ	8.529	<LOQ	1.218	<LOQ	108.489	<LOQ	0.406
LOQ	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
3.0177g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY

Analyzed Date : 10/02/23 17:18:10

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
10/10/23