



# Certificate of Analysis











## FOR COMPLIANCE

Sample:AL30901009-005  
Harvest/Lot ID: JYVC23244E  
Batch#: JYVC23244E  
Seed to Sale# JYVC23244E  
Sample Size Received: 20 units  
Total Amount: 6000 units  
Retail Product Size: 1 gram  
Sampled: 08/31/23 10:00 PM  
Sampling Start: 10:00 PM  
Sampling End: 10:00 PM  
Sampling Method: SOP.T.20.010.NY

**PASSED**

Pages 1 of 1

Naturae LLC  
License # : OCM-AUCP-2022-000028  
4883 State Route 67  
Hoosick Falls, NY, 12090, US

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

 **Cannabinoid** **PASSED**



	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	CBN	D8-THC	D9-THC	THCA	THCV
%	<LOQ	<LOQ	0.9705	0.3025	<LOQ	0.4194	1.3933	<LOQ	0.6609	<LOQ	81.5652	<LOQ	0.5904
mg/unit	<LOQ	<LOQ	9.705	3.025	<LOQ	4.194	13.933	<LOQ	6.609	<LOQ	815.652	<LOQ	5.904
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:  
0.1231g  
Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 09/05/23 16:25:56

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director  
NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

  
Signature  
09/08/23