



Certificate of Analysis











FOR COMPLIANCE

Sample:AL40110003-008
Harvest/Lot ID: JYDG24010C2
Batch#: JYDG24010C2
Seed to Sale# JYDG24010C2
Sample Size Received: 13 units
Total Amount: 3200 units
Retail Product Size: 10 gram
Sampled: 01/09/24 10:22 AM
Sampling Start: 10:22 AM
Sampling End: 11:20 AM
Revision Date: 01/29/24
Sampling Method: SOP.T.20.010.NY

PASSED

Pages 1 of 6

Naturae LLC
License # : OCM-AUCP-2022-000028
4883 State Route 67
Hoosick Falls, NY, 12090, US

| PRODUCT IMAGE | SAFETY RESULTS | | | | | | | | MISC. |
|--|--|--|--|--|--|---|--|--|--|
|  |  Pesticides PASSED |  Heavy Metals PASSED |  Microbials PASSED |  Mycotoxins PASSED |  Residuals Solvents PASSED |  Filtration NOT TESTED |  Water Activity PASSED |  Moisture NOT TESTED |  Terpenes TESTED |


 **Cannabinoid** **PASSED**



| | (6AR,9R) D10-THC | (6AR,9S) D10-THC | CBC | CBD | CBDA | CBDV | CBG | CBGA | CBN | D8-THC | D9-THC | THCA | THCV |
|---------|---------------------|---------------------|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|--------|
| % | <0.0006 | <0.0007 | 0.0037 | <0.0007 | 0.0011 | <0.0007 | 0.0051 | <0.0007 | 0.2165 | <0.0007 | 0.2289 | <0.0007 | 0.0013 |
| mg/unit | <0.060 | <0.070 | 0.370 | <0.070 | 0.110 | <0.070 | 0.510 | <0.070 | 21.650 | <0.070 | 22.890 | <0.070 | 0.130 |
| LOQ | 0.0006 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 |
| | % | % | % | % | % | % | % | % | % | % | % | % | % |

Weight:
3.1197g
Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 01/11/24 17:15:29

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

Signature
01/19/24

Revision: #1 - Report revised to update sample name/batch id.



Certificate of Analysis

PASSED

Naturae LLC

4883 State Route 67
Hoosick Falls, NY, 12090, US
Telephone: (518) 730-6024

Email: maxson@naturaenewyork.com
License # : OCM-AUCP-2022-000028

Sample : AL40110003-008
Harvest/Lot ID: JYDG24010C2
Batch# : JYDG24010C2
Sampled : 01/09/24 10:22 AM

Sample Size Received : 13 units
Total Amount : 3200 units
Sampling Method : SOP.T.20.010.NY

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOQ (%) | mg/unit | % | Result (%) | Terpenes | LOQ (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|-----------------|--|---------|---------|-------|------------|
| TERPINEN-4-OL | 0.10 | <10.0 | <0.10 | | ALPHA-PHELLANDRENE | 0.00 | <0.4 | <0.00 | |
| 3-CARENE | 0.00 | <0.4 | <0.00 | | ALPHA-PINENE | 0.00 | <0.4 | <0.00 | |
| ALPHA TERPINEOL | 0.00 | <0.4 | <0.00 | | ALPHA-TERPINENE | 0.00 | <0.4 | <0.00 | |
| BETA-CARYOPHYLLENE | 0.00 | <0.4 | <0.00 | | BETA-MYRCENE | 0.00 | <0.4 | <0.00 | |
| BORNEOL | 0.00 | <0.4 | <0.00 | | BETA-PINENE | 0.00 | <0.4 | <0.00 | |
| CAMPHENE | 0.00 | <0.4 | <0.00 | | CIS-NEROLIDOL | 0.00 | <0.4 | <0.00 | |
| CAMPHOR | 0.00 | <0.4 | <0.00 | | GAMMA-TERPINENE | 0.00 | <0.4 | <0.00 | |
| CARYOPHYLLENE OXIDE | 0.00 | <0.4 | <0.00 | | TRANS-NEROLIDOL | 0.00 | <0.4 | <0.00 | |
| CEDROL | 0.00 | <0.4 | <0.00 | | | | | | |
| EUCALYPTOL | 0.00 | <0.4 | <0.00 | | Weight: | | | | |
| FARNESENE | 0.10 | <10.0 | <0.10 | | 0.9849g | | | | |
| FENCHONE | 0.00 | <0.4 | <0.00 | | Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY | | | | |
| FENCHYL ALCOHOL | 0.00 | <0.4 | <0.00 | | Analyzed Date : 01/11/24 16:51:27 | | | | |
| GERANIOL | 0.00 | <0.4 | <0.00 | | | | | | |
| GERANYL ACETATE | 0.00 | <0.4 | <0.00 | | | | | | |
| GUAJOL | 0.00 | <0.4 | <0.00 | | | | | | |
| ISOBORNEOL | 0.00 | <0.4 | <0.00 | | | | | | |
| ISOPULEGOL | 0.00 | <0.4 | <0.00 | | | | | | |
| LIMONENE | 0.00 | <0.4 | <0.00 | | | | | | |
| LINALOOL | 0.00 | <0.4 | <0.00 | | | | | | |
| MENTHOL | 0.00 | <0.4 | <0.00 | | | | | | |
| NEROL | 0.00 | <0.4 | <0.00 | | | | | | |
| OCIMENE | 0.00 | <0.4 | <0.00 | | | | | | |
| PULEGONE | 0.00 | <0.4 | <0.00 | | | | | | |
| SABINENE | 0.00 | <0.4 | <0.00 | | | | | | |
| SABINENE HYDRATE | 0.00 | <0.4 | <0.00 | | | | | | |
| TERPINOLENE | 0.00 | <0.4 | <0.00 | | | | | | |
| VALENCENE | 0.00 | <0.4 | <0.00 | | | | | | |
| ALPHA-BISABOLOL | 0.00 | <0.4 | <0.00 | | | | | | |
| ALPHA-CEDRENE | 0.00 | <0.4 | <0.00 | | | | | | |
| ALPHA-HUMULENE | 0.00 | <0.4 | <0.00 | | | | | | |
| Total (%) | | | | <0.10 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
01/19/24

Revision: #1 - Report revised to update sample name/batch id.



Certificate of Analysis

PASSED

Naturae LLC

4883 State Route 67
Hoosick Falls, NY, 12090, US
Telephone: (518) 730-6024

Email: maxson@naturaeenewyork.com
License # : OCM-AUCP-2022-000028

Sample : AL40110003-008
Harvest/Lot ID: JYDG24010C2


Batch# : JYDG24010C2
Sampled : 01/09/24 10:22 AM

Sample Size Received : 13 units

Total Amount : 3200 units

Sampling Method : SOP.T.20.010.NY

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOQ | Units | Action Level | Pass/Fail | Result | Pesticide | LOQ | Units | Action Level | Pass/Fail | Result |
|-----------------------|-----|-------|--------------|-----------|--------|---|-----|-------|--------------|-----------|--------|
| PYRETHRINS, TOTAL | 0.1 | ppm | 1 | PASS | <0.1 | PACLOBUTRAZOL | 0.1 | ppm | 0.4 | PASS | <0.1 |
| AZADIRACHTIN | 0.1 | ppm | 1 | PASS | <0.1 | PERMETHRIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| INDOLE-3-BUTYRIC ACID | 0.1 | ppm | 1 | PASS | <0.1 | PHOSMET | 0.1 | ppm | 0.2 | PASS | <0.1 |
| MYCLOBUTANIL | 0.1 | ppm | 0.2 | PASS | <0.1 | PRALLETHRIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| PIPERONYL BUTOXIDE | 0.1 | ppm | 2 | PASS | <0.1 | PROPICONAZOLE | 0.1 | ppm | 0.4 | PASS | <0.1 |
| ABAMECTIN B1A | 0.1 | ppm | 0.5 | PASS | <0.1 | PROPOXUR | 0.1 | ppm | 0.2 | PASS | <0.1 |
| ACEPHATE | 0.1 | ppm | 0.4 | PASS | <0.1 | PYRIDABEN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| ACEQUINOCYL | 0.1 | ppm | 2 | PASS | <0.1 | SPINETORAM, TOTAL | 0.1 | ppm | 1 | PASS | <0.1 |
| ACETAMIPRID | 0.1 | ppm | 0.2 | PASS | <0.1 | SPINOSAD, TOTAL | 0.1 | ppm | 0.2 | PASS | <0.1 |
| ALDICARB | 0.1 | ppm | 0.4 | PASS | <0.1 | SPIROMESIFEN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| AZOXYSTROBIN | 0.1 | ppm | 0.2 | PASS | <0.1 | SPIROTETRAMAT | 0.1 | ppm | 0.2 | PASS | <0.1 |
| CHLORMEQUAT CHLORIDE | 0.1 | ppm | 1 | PASS | <0.1 | SPIROXAMINE | 0.1 | ppm | 0.2 | PASS | <0.1 |
| BIFENAZATE | 0.1 | ppm | 0.2 | PASS | <0.1 | TEBUCONAZOLE | 0.1 | ppm | 0.4 | PASS | <0.1 |
| BIFENTHRIN | 0.1 | ppm | 0.2 | PASS | <0.1 | THIACLOPRID | 0.1 | ppm | 0.2 | PASS | <0.1 |
| CARBARYL | 0.1 | ppm | 0.2 | PASS | <0.1 | THIAMETHOXAM | 0.1 | ppm | 0.2 | PASS | <0.1 |
| COUMAPHOS | 0.1 | ppm | 1 | PASS | <0.1 | TRIFLOXYSTROBIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| CHLORPYRIFOS | 0.1 | ppm | 0.2 | PASS | <0.1 | CAPTAN * | 0.1 | ppm | 1 | PASS | <0.1 |
| DAMINOZIDE | 0.1 | ppm | 1 | PASS | <0.1 | CHLORDANE * | 0.1 | ppm | 1 | PASS | <0.1 |
| BOSCALID | 0.1 | ppm | 0.4 | PASS | <0.1 | CHLORFENAPYR * | 0.1 | ppm | 1 | PASS | <0.1 |
| CARBOFURAN | 0.1 | ppm | 0.2 | PASS | <0.1 | CYFLUTHRIN * | 0.1 | ppm | 1 | PASS | <0.1 |
| CHLORANTRANILIPROLE | 0.1 | ppm | 0.2 | PASS | <0.1 | CYPERMETHRIN * | 0.1 | ppm | 1 | PASS | <0.1 |
| CLOFENTEZINE | 0.1 | ppm | 0.2 | PASS | <0.1 | METHYL PARATHION * | 0.1 | ppm | 0.2 | PASS | <0.1 |
| DIAZINON | 0.1 | ppm | 0.2 | PASS | <0.1 | MGK-264 * | 0.1 | ppm | 0.2 | PASS | <0.1 |
| DICHLORVOS | 0.1 | ppm | 1 | PASS | <0.1 | PENTACHLORONITROBENZENE * | 0.1 | ppm | 1 | PASS | <0.1 |
| DIMETHOATE | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| DIMETHOMORPH | 0.1 | ppm | 1 | PASS | <0.1 | Weight: | | | | | |
| ETHOPROPHOS | 0.1 | ppm | 0.2 | PASS | <0.1 | 0.5393g | | | | | |
| ETOFENPROX | 0.1 | ppm | 0.4 | PASS | <0.1 | Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY | | | | | |
| ETOXAZOLE | 0.1 | ppm | 0.2 | PASS | <0.1 | Analyzed Date : 01/15/24 11:06:17 | | | | | |
| FENHEXAMID | 0.1 | ppm | 1 | PASS | <0.1 | | | | | | |
| FENOXYCARB | 0.1 | ppm | 0.2 | PASS | <0.1 | Weight: | | | | | |
| FENPYROXIMATE | 0.1 | ppm | 0.4 | PASS | <0.1 | 0.5393g | | | | | |
| FIPRONIL | 0.1 | ppm | 0.4 | PASS | <0.1 | Analysis Method : SOP.T.40.154.NY | | | | | |
| FLONICAMID | 0.1 | ppm | 1 | PASS | <0.1 | Analyzed Date : 01/15/24 10:56:34 | | | | | |
| FLUDIOXONIL | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| HEXYTHIAZOX | 0.1 | ppm | 1 | PASS | <0.1 | | | | | | |
| IMAZALIL | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| IMIDACLOPRID | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| KRESOXIM METHYL | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| MALATHION | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| METALAXYL | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| METHIOCARB | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| METHOMYL | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| MEVINPHOS | 0.1 | ppm | 1 | PASS | <0.1 | | | | | | |
| NALED | 0.1 | ppm | 0.5 | PASS | <0.1 | | | | | | |
| OXAMYL | 0.1 | ppm | 1 | PASS | <0.1 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Revision: #1 - Report revised to update sample name/batch id.

Signature
01/19/24



Certificate of Analysis

PASSED

Naturae LLC

4883 State Route 67
Hoosick Falls, NY, 12090, US
Telephone: (518) 730-6024
Email: maxson@naturaeenewyork.com
License # : OCM-AUCP-2022-000028

Sample : AL40110003-008
Harvest/Lot ID: JYDG24010C2
Batch# : JYDG24010C2
Sampled : 01/09/24 10:22 AM

Sample Size Received : 13 units
Total Amount : 3200 units
Sampling Method : SOP.T.20.010.NY

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOQ | Units | Action Level | Pass/Fail | Result |
|-----------------------|--------|-------|--------------|-----------|---------|
| DIMETHYL SULFOXIDE | 750.0 | ppm | 5000 | PASS | <750.0 |
| 1,1,1-TRICHLOROETHANE | 225.0 | ppm | 1500 | PASS | <225.0 |
| HEXANE, TOTAL | 625.0 | ppm | 290 | PASS | <625.0 |
| PENTANES, TOTAL | 375.0 | ppm | 5000 | PASS | <375.0 |
| BUTANES, TOTAL | 1800.0 | ppm | 5000 | PASS | <1800.0 |
| XYLENES, TOTAL | 250.0 | ppm | 2170 | PASS | <250.0 |
| 1,2-DICHLOROETHANE | 0.5 | ppm | 5 | PASS | <0.5 |
| PROPANE | 900.0 | ppm | 5000 | PASS | <900.0 |
| METHANOL | 125.0 | ppm | 3000 | PASS | <125.0 |
| ETHANOL | 125.0 | ppm | 5000 | PASS | <125.0 |
| ETHYL ETHER | 125.0 | ppm | 5000 | PASS | <125.0 |
| ACETONE | 125.0 | ppm | 5000 | PASS | <125.0 |
| 2-PROPANOL | 125.0 | ppm | 5000 | PASS | <125.0 |
| ACETONITRILE | 125.0 | ppm | 410 | PASS | <125.0 |
| DICHLOROMETHANE | 125.0 | ppm | 600 | PASS | <125.0 |
| ETHYL ACETATE | 125.0 | ppm | 5000 | PASS | <125.0 |
| BENZENE | 0.5 | ppm | 2 | PASS | <0.5 |
| N-HEPTANE | 125.0 | ppm | 5000 | PASS | <125.0 |
| TOLUENE | 125.0 | ppm | 890 | PASS | <125.0 |
| CHLOROFORM | 0.5 | ppm | 60 | PASS | <0.5 |

Weight:
0.02266g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 01/12/24 15:26:00

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
01/19/24

Revision: #1 - Report revised to update sample name/batch id.



Certificate of Analysis

PASSED



Naturae LLC


4883 State Route 67
Hoosick Falls, NY, 12090, US
Telephone: (518) 730-6024
Email: maxson@naturaeenewyork.com
License # : OCM-AUCP-2022-000028

Sample : AL40110003-008
Harvest/Lot ID: JYDG24010C2
Batch# : JYDG24010C2
Sampled : 01/09/24 10:22 AM

Sample Size Received : 13 units
Total Amount : 3200 units
Sampling Method : SOP.T.20.010.NY

Page 5 of 6

|  Microbial PASSED | | | | | |  Mycotoxins PASSED | | | | | |
|---|-----|-------|-------------|-------------|--------------|--|-------|-------|--------|-------------|--------------|
| Analyte | LOQ | Units | Result | Pass / Fail | Action Level | Analyte | LOQ | Units | Result | Pass / Fail | Action Level |
| TOTAL AEROBIC BACTERIA | 100 | CFU/g | <100 | PASS | 10000 | AFLATOXIN G2 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| TOTAL YEAST AND MOLD | 100 | CFU/g | <100 | PASS | 1000 | AFLATOXIN G1 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| ESCHERICHIA COLI SHIGELLA SPP | | | Not Present | PASS | | AFLATOXIN B2 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| SALMONELLA SPECIES | | | Not Present | PASS | | AFLATOXIN B1 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | OCHRATOXIN A+ | 0.010 | ppm | <0.010 | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | TOTAL AFLATOXINS (B1, B2, G1, G2) | 0.003 | ppm | <0.003 | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | | | | | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | | | | | | |
| Weight: 1.05g Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY Analyzed Date : 01/11/24 11:46:13 | | | | | | Weight: 0.5393g Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY Analyzed Date : 01/15/24 11:05:36 | | | | | |

|  Heavy Metals PASSED | | | | | |
|--|--------|-------|---------|-------------|--------------|
| Metal | LOQ | Units | Result | Pass / Fail | Action Level |
| ANTIMONY | 0.1000 | ug/g | <0.1000 | PASS | 120 |
| ARSENIC | 0.1000 | ug/g | <0.1000 | PASS | 1.5 |
| CADMIUM | 0.1000 | ug/g | <0.1000 | PASS | 0.5 |
| CHROMIUM | 1.0000 | ug/g | <1.0000 | PASS | 1100 |
| COPPER | 1.0000 | ug/g | <1.0000 | PASS | 300 |
| LEAD | 0.1000 | ug/g | <0.1000 | PASS | 0.5 |
| MERCURY | 0.0100 | ug/g | <0.0100 | PASS | 3 |
| NICKEL | 0.1000 | ug/g | 0.2112 | PASS | 20 |
| Weight: 0.4496g Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY Analyzed Date : 01/12/24 09:25:37 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
01/19/24

Revision: #1 - Report revised to update sample name/batch id.



Certificate of Analysis

PASSED

Naturae LLC

4883 State Route 67
Hoosick Falls, NY, 12090, US
Telephone: (518) 730-6024
Email: maxson@naturaenewyork.com
License # : OCM-AUCP-2022-000028

Sample : AL40110003-008
Harvest/Lot ID : JYDG24010C2
Batch# : JYDG24010C2 Sample Size Received : 13 units
Sampled : 01/09/24 10:22 AM Total Amount : 3200 units
Sampling Method : SOP.T.20.010.NY

Page 6 of 6

| | | | | |
|---|-----------------------|---------------|--------------------|---------------|
|  | Water Activity | PASSED | Homogeneity | PASSED |
|---|-----------------------|---------------|--------------------|---------------|

| Analyte | LOQ | Units | Result | P/F | Action Level | Analyte | LOQ | Units | Pass/Fail | Result | Action Level |
|-----------------------------------|------|-------|--------|------|--------------|-----------------------------------|------|-------|-----------|--------|--------------|
| Water Activity | 0.10 | aw | 0.70 | PASS | 0.85 | HOM1 TOTAL THC PERCENT DIFFERENCE | 0.01 | % | PASS | ND | 25 |
| Weight: 1.162g | | | | | | HOM1 TOTAL CBD PERCENT DIFFERENCE | 0.01 | % | PASS | ND | 25 |
| Analysis Method : SOP.T.40.019 | | | | | | HOM2 TOTAL THC PERCENT DIFFERENCE | 0.01 | % | PASS | ND | 25 |
| Analyzed Date : 01/11/24 15:37:42 | | | | | | HOM2 TOTAL CBD PERCENT DIFFERENCE | 0.01 | % | PASS | ND | 25 |
| | | | | | | HOM3 TOTAL THC PERCENT DIFFERENCE | 0.01 | % | PASS | ND | 25 |
| | | | | | | HOM3 TOTAL CBD PERCENT DIFFERENCE | 0.01 | % | PASS | ND | 25 |
| | | | | | | HOM4 TOTAL THC PERCENT DIFFERENCE | 0.01 | % | PASS | ND | 25 |
| | | | | | | HOM4 TOTAL CBD PERCENT DIFFERENCE | 0.01 | % | PASS | ND | 25 |
| | | | | | | HOM5 TOTAL THC PERCENT DIFFERENCE | 0.01 | % | PASS | 4.17 | 25 |
| | | | | | | HOM5 TOTAL CBD PERCENT DIFFERENCE | 0.01 | % | PASS | ND | 25 |

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 01/11/24 17:15:29

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
01/19/24

Revision: #1 - Report revised to update sample name/batch id.