

# **Certificate of Analysis**

### **FOR COMPLIANCE**



Naturae LLC

License #: OCM-AUCP-2022-000028

4883 State Route 67 Hoosick Falls, NY, 12090, US

#### **SAFETY RESULTS**



Pesticides **PASSED** 



**Heavy Metals PASSED** 



Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents **PASSED** 



Filth **NOT TESTED** 



Water Activity **NOT TESTED** 



**NOT TESTED** 



Sample:AL40413002-008 Harvest/Lot ID: JYVC24103I

**Kaycha Labs** 

Type: Vape Cartridge

JYVC24103I Wedding Cake Matrix: Derivative

Batch#: JYVC24103I Seed to Sale# JYVC24103I Sample Size Received: 20 units

Total Amount: 6000 units Retail Product Size: 1 gram Retail Serving Size: .1 gram

Servings: 10

Sampled: 04/11/24 10:00 AM Sampling Start: 10:00 AM

Sampling End: 11:00 AM

Sampling Method: SOP.T.20.010.NY

# **PASSED**

#### Pages 1 of 5

MISC.



Terpenes **TESTED** 

**PASSED** 



#### Cannabinoid

**Total THC** 

Total THC/Container : 843.915 mg



**Total CBD** Total CBD/Container: 1.562 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 891.186

mg

											1		
	(6AR,9R) D10-THC	(6AR,9S) D10-THC	СВС	CBD	CBDA	CBDV	CBG	CBGA	CBN	D8-THC	D9-THC	THCA	THCV
%	< 0.1000	<0.1000	0.3663	0.1562	< 0.1000	<0.1000	3.1658	<0.1000	0.7214	< 0.1000	84.1590	0.2652	0.2847
mg/unit	<1.000	<1.000	3.663	1.562	<1.000	<1.000	31.658	<1.000	7.214	<1.000	841.590	2.652	2.847
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
	%	%	%	%	%	%	%	%	%	%	%	%	%

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date : 04/16/24 17:25:51

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164

**Erica Troy** Lab Director





#### Kaycha Labs

JYVC24103I Wedding Cake Matrix: Derivative



Type: Vape Cartridge

# **Certificate of Analysis**

**PASSED** 

4883 State Route 67 Hoosick Falls, NY, 12090, US **Telephone:** (518) 730-6024 Fmail: maxson@naturaenewyork.com License # : OCM-AUCP-2022-000028

Sample : AL40413002-008 Harvest/Lot ID: JYVC24103I Batch#: IYVC241031

Sample Size Received: 20 units Sampled: 04/11/24 10:00 AM Total Amount: 6000 units Sampling Method: SOP.T.20.010.NY

Page 2 of 5



### Terpenes



Terpenes	LOQ (%)	mg/unit	t %	Result (%)	Terpenes	LOQ (%)	mg/unit	%	Result (%)
BETA-CARYOPHYLLENE	0.04	16.3	1.6		Weight: 0.9975q				
BETA-MYRCENE	0.10	9.4	0.94		Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY				
LIMONENE	0.10	8.1	0.81		Analyzed Date : 04/16/24 15:08:57				
ALPHA-HUMULENE	0.04	5.2	0.52						
LINALOOL	0.10	4.3	0.43						
ALPHA-BISABOLOL	0.04	2.7	0.27						
BETA-PINENE	0.10	1.4	0.14						
ALPHA-PINENE	0.10	1.2	0.12		i				
ALPHA TERPINEOL	0.04	1.0	0.10						
FENCHYL ALCOHOL	0.04	1.0	0.10		i				
CARYOPHYLLENE OXIDE	0.04	0.5	0.05		i				
CAMPHENE	0.10	<1.0	< 0.10						
FARNESENE	0.10	<1.0	< 0.10						
GERANIOL	0.04	< 0.4	< 0.04						
OCIMENE	0.10	<1.0	< 0.10						
TERPINOLENE	0.04	< 0.4	< 0.04		İ				
VALENCENE	0.10	<1.0	< 0.10						
ALPHA-PHELLANDRENE	0.10	<1.0	< 0.10		İ				
GUAIOL	0.04	< 0.4	< 0.04		İ				
MENTHOL	0.10	<1.0	< 0.10		İ				
ALPHA-TERPINENE	0.10	<1.0	< 0.10						
Total (%)		5	5.1						

Total (%)



Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164





#### Kaycha Labs

JYVC24103I Wedding Cake Matrix: Derivative



Type: Vape Cartridge

# **Certificate of Analysis**

**PASSED** 

4883 State Route 67 Hoosick Falls, NY, 12090, US **Telephone:** (518) 730-6024 Fmail: maxson@naturaenewyork.com License # : OCM-AUCP-2022-000028

Sample : AL40413002-008 Harvest/Lot ID: JYVC24103I Batch#: IYVC241031

Sample Size Received: 20 units Sampled: 04/11/24 10:00 AM Total Amount: 6000 units Sampling Method: SOP.T.20.010.NY

Page 3 of 5



#### **Pesticides**

P	A	S	S	Е	
---	---	---	---	---	--

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	< 0.1
AZADIRACHTIN	0.1	ppm	1	PASS	< 0.1
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	< 0.1
MYCLOBUTANIL	0.1	ppm	0.2	PASS	< 0.1
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	< 0.1
ABAMECTIN B1A	0.1	ppm	0.5	PASS	< 0.1
ACEPHATE	0.1	ppm	0.4	PASS	< 0.1
ACEQUINOCYL	0.1	ppm	2	PASS	< 0.1
ACETAMIPRID	0.1	ppm	0.2	PASS	< 0.1
ALDICARB	0.1	ppm	0.4	PASS	< 0.1
AZOXYSTROBIN	0.1	ppm	0.2	PASS	< 0.1
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	< 0.1
BIFENAZATE	0.1	ppm	0.2	PASS	< 0.1
BIFENTHRIN	0.1	ppm	0.2	PASS	< 0.1
CARBARYL	0.1	ppm	0.2	PASS	< 0.1
COUMAPHOS	0.1	ppm	1	PASS	< 0.1
CHLORPYRIFOS	0.1	ppm	0.2	PASS	< 0.1
DAMINOZIDE	0.1	ppm	1	PASS	< 0.1
BOSCALID	0.1	ppm	0.4	PASS	< 0.1
CARBOFURAN	0.1	ppm	0.2	PASS	< 0.1
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	< 0.1
CLOFENTEZINE	0.1	ppm	0.2	PASS	< 0.1
DIAZINON	0.1	ppm	0.2	PASS	< 0.1
DICHLORVOS	0.1	ppm	1	PASS	< 0.1
DIMETHOATE	0.1	ppm	0.2	PASS	< 0.1
DIMETHOMORPH	0.1	ppm	1	PASS	< 0.1
ETHOPROPHOS	0.1	ppm	0.2	PASS	< 0.1
ETOFENPROX	0.1	ppm	0.4	PASS	< 0.1
ETOXAZOLE	0.1	ppm	0.2	PASS	< 0.1
FENHEXAMID	0.1	ppm	1	PASS	< 0.1
FENOXYCARB	0.1	ppm	0.2	PASS	< 0.1
FENPYROXIMATE	0.1	ppm	0.4	PASS	< 0.1
FIPRONIL	0.1	ppm	0.4	PASS	< 0.1
FLONICAMID	0.1	ppm	1	PASS	< 0.1
FLUDIOXONIL	0.1	ppm	0.4	PASS	< 0.1
HEXYTHIAZOX	0.1	ppm	1	PASS	< 0.1
IMAZALIL	0.1	ppm	0.2	PASS	< 0.1
IMIDACLOPRID	0.1	ppm	0.4	PASS	< 0.1
KRESOXIM METHYL	0.1	ppm	0.4	PASS	< 0.1
MALATHION	0.1	ppm	0.2	PASS	< 0.1
METALAXYL	0.1	ppm	0.2	PASS	< 0.1
METHIOCARB	0.1	ppm	0.2	PASS	< 0.1
METHOMYL	0.1	ppm	0.4	PASS	< 0.1
MEVINPHOS	0.1	ppm	1	PASS	< 0.1
NALED	0.1	ppm	0.5	PASS	< 0.1
OXAMYL	0.1	ppm	1	PASS	< 0.1

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PACLOBUTRAZOL	0.1	ppm	0.4	PASS	< 0.1
PERMETHRIN	0.1	ppm	0.2	PASS	< 0.1
PHOSMET	0.1	ppm	0.2	PASS	< 0.1
PRALLETHRIN	0.1	ppm	0.2	PASS	< 0.1
PROPICONAZOLE	0.1	ppm	0.4	PASS	< 0.1
PROPOXUR	0.1	ppm	0.2	PASS	< 0.1
PYRIDABEN	0.1	ppm	0.2	PASS	< 0.1
SPINETORAM, TOTAL	0.1	ppm	1	PASS	< 0.1
SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	< 0.1
SPIROMESIFEN	0.1	ppm	0.2	PASS	< 0.1
SPIROTETRAMAT	0.1	ppm	0.2	PASS	< 0.1
SPIROXAMINE	0.1	ppm	0.2	PASS	< 0.1
TEBUCONAZOLE	0.1	ppm	0.4	PASS	< 0.1
THIACLOPRID	0.1	ppm	0.2	PASS	< 0.1
THIAMETHOXAM	0.1	ppm	0.2	PASS	< 0.1
TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	< 0.1
CAPTAN *	0.1	ppm	1	PASS	< 0.1
CHLORDANE *	0.1	ppm	1	PASS	< 0.1
CHLORFENAPYR *	0.1	ppm	1	PASS	< 0.1
CYFLUTHRIN *	0.1	ppm	1	PASS	< 0.1
CYPERMETHRIN *	0.1	ppm	1	PASS	< 0.1
METHYL PARATHION *	0.1	ppm	0.2	PASS	< 0.1
MGK-264 *	0.1	ppm	0.2	PASS	< 0.1
PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	< 0.1

Weight: 0.5255g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY Analyzed Date : 04/17/24 14:54:42

Analysis Method: SOP.T.40.154.NY Analyzed Date: 04/17/24 16:29:49

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 04/18/24



#### Kaycha Labs

JYVC24103I Wedding Cake Matrix: Derivative



Type: Vape Cartridge

# **Certificate of Analysis**

**PASSED** 

4883 State Route 67 Hoosick Falls, NY, 12090, US **Telephone:** (518) 730-6024 Fmail: maxson@naturaenewyork.com License # : OCM-AUCP-2022-000028

Sample : AL40413002-008 Harvest/Lot ID: JYVC24103I Batch#: IYVC241031

Sample Size Received: 20 units Sampled: 04/11/24 10:00 AM Total Amount: 6000 units Sampling Method: SOP.T.20.010.NY

Page 4 of 5



### **Residual Solvents**

**PASSED** 

LOQ	Units	Action Level	Pass/Fail	Result
750.0	ppm	5000	PASS	ND
225.0	ppm	1500	PASS	ND
625.0	ppm	290	PASS	<625.0
375.0	ppm	5000	PASS	<375.0
1800.0	ppm	5000	PASS	<1800.0
250.0	ppm	2170	PASS	<250.0
0.5	ppm	5	PASS	ND
900.0	ppm	5000	PASS	ND
125.0	ppm	3000	PASS	ND
125.0	ppm	5000	PASS	152.4
125.0	ppm	5000	PASS	<125.0
125.0	ppm	5000	PASS	ND
125.0	ppm	5000	PASS	<125.0
125.0	ppm	410	PASS	ND
125.0	ppm	600	PASS	ND
125.0	ppm	5000	PASS	<125.0
0.5	ppm	2	PASS	< 0.5
125.0	ppm	5000	PASS	<125.0
125.0	ppm	890	PASS	ND
0.5	ppm	60	PASS	< 0.5
	750.0 225.0 625.0 375.0 1800.0 250.0 0.5 900.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0	750.0 ppm 225.0 ppm 625.0 ppm 375.0 ppm 1800.0 ppm 250.0 ppm 0.5 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm 125.0 ppm	750.0         ppm         5000           225.0         ppm         1500           625.0         ppm         290           375.0         ppm         5000           1800.0         ppm         5000           250.0         ppm         2170           0.5         ppm         5           900.0         ppm         5000           125.0         ppm         600           125.0         ppm         5000           125.0         ppm         5000	750.0         ppm         5000         PASS           225.0         ppm         1500         PASS           625.0         ppm         290         PASS           375.0         ppm         5000         PASS           1800.0         ppm         5000         PASS           250.0         ppm         2170         PASS           0.5         ppm         5         PASS           900.0         ppm         5000         PASS           125.0         ppm         3000         PASS           125.0         ppm         5000         PASS           125.0         ppm         5000         PASS           125.0         ppm         5000         PASS           125.0         ppm         5000         PASS           125.0         ppm         410         PASS           125.0         ppm         600         PASS           125.0         ppm         5000         PASS           125.0         ppm         5000         PASS           125.0         ppm         5000         PASS           125.0         ppm         5000         PASS           <

Weight:

Analysis Method: SOP.T.40.044.NY Analyzed Date: 04/15/24 16:32:12

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164





#### Kaycha Labs

JYVC24103I Wedding Cake Matrix: Derivative



Type: Vape Cartridge

# **Certificate of Analysis**

PASSED

Hoosick Falls, NY, 12090, US Telephone: (518) 730-6024 Fmail: maxson@naturaenewyork.com License # : OCM-AUCP-2022-000028

Sample : AL40413002-008 Harvest/Lot ID: JYVC24103I Batch#: IYVC241031

Sampled: 04/11/24 10:00 AM Total Amount: 6000 units

Sample Size Received: 20 units Sampling Method: SOP.T.20.010.NY

**Analyte** 

An

An

Hg

**AFLATOXIN G2** 

AFLATOXIN G1

AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A+

Page 5 of 5

Units

ppm

ppm

ppm

mag

ppm

mag

LOO

0.003

0.003

0.003

0.003

0.010

0.003



### **Microbial**





TOTAL AFLATOXINS (B1. B2. G1. G2)

# **Mycotoxins**

**PASSED** 

Action

Level

0.02

0.02

0.02

0.02

0.02

0.02

Result Pass /

<0.003 PASS

<0.003 PASS

<0.003 PASS

<0.003 PASS

<0.010 PASS

<0.003 PASS

Fail

Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIES			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	

Weight: 1.0463g

rounding errors.

**Analysis Method :** SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY **Analyzed Date :** 04/15/24 16:23:15

<b>sight:</b> 2255g
alysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY alyzed Date : 04/17/24 16:30:04

### **Heavy Metals**

**PASSED** 

Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	< 0.1000	PASS	2
ARSENIC	0.1000	ug/g	< 0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	< 0.1000	PASS	0.3
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	<1.0000	PASS	30
LEAD	0.1000	ug/g	< 0.1000	PASS	0.5
MERCURY	0.0100	ug/g	< 0.0100	PASS	0.1
NICKEL	0.1000	ug/g	< 0.1000	PASS	2

Weight: 0.4433g

Analysis Method: SOP.T.30.084.NY, SOP.T.40.084.NY

Analyzed Date: 04/13/24 19:19:13

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain

#### **Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 04/18/24