

CERTIFICATE OF ANALYSIS

Regulatory Compliance Testing Report Date: Nov 06, 2024



Naturae LLC pg 1 of 6

Blueberry Lemonade JYDG24305G2

Edible Solid



SAMPLE INFORMATION

Sample ID: CTNY-241031-005 Sample Name: Blueberry Lemonade JYDG24305G2

Matrix: Cannabis Edible Product

Product: Edible Solid Batch No.: JYDG24305G2 Batch Size: 3060 Units Sample Size: 3 Units Serving Size: 5 g Package Size: 10 g

Serving Size: 5 g Package Size: 10 g Cultivar(s): N/A Date Collected: Oct 31, 2024

Date Collected: Oct 31, 2024
Time Collected: 15:29:59
Date Received: Oct 31, 2024
Category: Cannabis_edible_product
Compliance Type: Adult Use
Received By: Alex Eramo

MANUFACTURER

Naturae LLC

License: OCM-PROC-24-000091 **Address:** 4883 NY-67 Hoosick Falls, NY 12090

CONTACT

Dennis Tario

Phone: (518) 937-7247 **Address**: 4883 NY-67 Hoosick Falls, NY 12090





Certified Testing and Data 150 Broadway STE 194 Menands, NY 12204 certifiedtnd.com License: OCM-CPL-2022-00009 Contact: Larry Clement ph: 5189005515 email: info@certifiedtnd.com



Larry Clement
Quality Assurance Officer





Regulatory Compliance Testing Report Date: Nov 06, 2024

Sample ID: CTNY-241031-005

pg 2 of 6

Cannabinoids

Testing Method: CTND-NY-SOP-P-002, CTND-NY-SOP-P-001: Cannabinoids by HPLC

TESTED



Analyte	Dilution	LOQ	Results	Results	Results	Results	Analyte	Dilution	LOQ	Results	Results	Results	Results
	1:n	%	%	mg/g	mg/pkg	mg/srv		1:n	%	%	mg/g	mg/pkg	mg/srv
9R-Δ ¹⁰ -THC	20	0.00722	< LOQ	< LOQ	< LOQ	< LOQ	CBGA	20	0.00722	< LOQ	< LOQ	< LOQ	< LOQ
9S-Δ ¹⁰ -THC	20	0.00722	< LOQ	< LOQ	< LOQ	< LOQ	CBN	20	0.00722	< LOQ	< LOQ	< LOQ	< LOQ
СВС	20	0.00722	0.0405	0.405	4.05	2.03	Δ ⁸ -THC	20	0.00722	< LOQ	< LOQ	< LOQ	< LOQ
CBD	20	0.00722	< LOQ	< LOQ	< LOQ	< LOQ	Δ ⁹ -THC	20	0.00722	0.198	1.98	19.8	9.90
CBDA	20	0.00722	< LOQ	< LOQ	< LOQ	< LOQ	Δ ¹⁰ -THC			< LOQ	< LOQ	< LOQ	< LOQ
CBDV	20	0.00722	< LOQ	< LOQ	< LOQ	< LOQ	THCA	20	0.00722	< LOQ	< LOQ	< LOQ	< LOQ
CBG	20	0.00722	0.00853	0.0853	0.853	0.427	THCV	20	0.00722	0.0949	0.949	9.49	4.75
Total THC			0.198	1.98	19.8	9.90	Total THC			0.198	1.98	19.8	9.90
Total CBD			< LOQ	< LOQ	< LOQ	< LOQ	Total CBD			< LOQ	< LOQ	< LOQ	< LOQ
Prepared By: 38 Analysis Date: N		16:30:00	EDT			lyzed By: 38fef6 Weight: 1.3841 Grams				viewed By; 3 b Batch #: NF			

Heavy Metals

Testing Method: CTND-NY-SOP-M-002, CTND-NY-SOP-M-001: Heavy Metals by ICP-MS

PASS 🗸



Analyte	Dilution	LOQ	Limit	Results	Status	Analyte	Dilution	LOQ	Limit	Results	Status
	1:n	μg/g	μg/g	μg/g			1:n	μg/g	μg/g	μg/g	
Antimony	2	0.078	120	< LOQ	Pass	Copper	2	0.392	300	< LOQ	Pass
Arsenic	2	0.078	1.5	< LOQ	Pass	Lead	2	0.078	0.5	< LOQ	Pass
Cadmium	2	0.078	0.5	< LOQ	Pass	Mercury	2	0.078	3	< LOQ	Pass
Chromium	2	0.392	1100	< LOQ	Pass	Nickel	2	0.392	20	< LOQ	Pass
Prepared By: tvckqh Analysis Date: Nov 01, 20			Analyzed By: tvck Prep Weight: 0.51				wed By: 38fef atch#: NM24				

Certified Testing and Data 150 Broadway STE 194 Menands, NY 12204 certifiedtnd.com License: OCM-CPL-2022-00009 Contact: Larry Clement ph: 5189005515 email: info@certifiedtnd.com



Larry Clement Quality Assurance Officer





Regulatory Compliance Testing

Report Date: Nov 06, 2024

Sample ID: CTNY-241031-005

pg 3 of 6

PASS



Analyte	LOQ	Limit F	tesults	Status	Testing & Prep Method: Micro: Total Yeast & Mold by Biomerieux Tempo
Yeast & Mold	CFU/g 100	CFU/g 1000	CFU/g < LOQ	Pass	Prepared By: Reviewed By: Analyzed By: k4gdmc k4gdmc k4gdmc Analysis Date: Lab Batch #: Nov 04, 2024 16:30:00 EST NB240087
Analyte	LOQ	Limit	Results	Status	Testing & Prep Method: Micro: Aspergillus by Biomerieux Gene-Up
Aspergillus flavus Aspergillus fumigatus Aspergillus niger Aspergillus terreus	CFU/g 1.00 1.00 1.00 1.00	CFU/g Absent in any amt Absent in any amt Absent in any amt Absent in any amt	CFU/g Absent Absent Absent Absent	Pass Pass Pass Pass	Prepared By: Reviewed By: Analyzed By: k4gdmc k4gdmc Lab Batch #: Nov 05, 2024 17:00:00 EST NB240088
Analyte	LOQ	Limit	Results	Status	Testing & Prep Method: Micro: Salmonella by Biomerieux Gene-Up
Salmonella spp.	CFU/g 1.00	CFU/g Absent in any amt	CFU/g Absent	Pass	Prepared By: Reviewed By: Analyzed By: k4gdmc k4gdmc Analysis Date: Nov 05, 2024 17:00:00 EST NB240088
Analyte	LC	DQ Limi	t Results	Status	Testing & Prep Method: Micro: Shiga Toxin-producing E. Coli by Biomerieux Gene-Up
Shiga toxin-producing E	CFL E. coli 1.	J/g CFU/ .00 Absent in any am	0	Pass	Prepared By: Reviewed By: Analyzed By: k4gdmc k4gdmc k4gdmc Analysis Date: Lab Batch #: Nov 05, 2024 17:00:00 EST NB240088
Analyte	LO	Q Limit	Results	Status	Testing & Prep Method: Micro: Total Viable Aerobic Bacteria by Biomerieux Tempo
Aerobic Bacteria	CFU 10	/g CFU/g 00 10000	CFU/g < LOQ	Pass	Prepared By: Reviewed By: Analyzed By: k4gdmc k4gdmc k4gdmc Analysis Date: Lab Batch #: Nov 05, 2024 15:15:00 EST NB240088

Mycotoxins

Testing Method: CTND-NY-SOP-PM-002, CTND-NY-SOP-PM-001: Mycotoxins by LC-MS/MS





Analyte	Dilution	LOQ	Limit	Results	Status	Analyte	Dilution	LOQ	Limit	Results	Status
	1:n	μg/g	μg/g	μg/g			1:n	μg/g	μg/g	μg/g	
Aflatoxin B1	1	0.0101		< LOQ	N/A	Aflatoxin G2	1	0.0101		< LOQ	N/A
Aflatoxin B2	1	0.0101		< LOQ	N/A	Ochratoxin A	1	0.0101	0.02	< LOQ	Pass
Aflatoxin G1	1	0.0101		< LOQ	N/A	Aflatoxins			0.02	< L0Q	Pass
Aflatoxins			0.02	< LOQ	Pass	Allacoxillo			0.02	- 200	1 433
Prepared By: k4gdmc Analysis Date: Nov 04, 2024	17:00:00 EST			nalyzed By: k4go rep Weight: 0.99				By: k4gdmc #: NPM2401	43		



Certified Testing and Data 150 Broadway STE 194 Menands, NY 12204 certifiedtnd.com License: OCM-CPL-2022-00009 Contact: Larry Clement ph: 5189005515 email: info@certifiedtnd.com



Larry Clement Quality Assurance Officer





Regulatory Compliance Testing Report Date: Nov 06, 2024

Sample ID: CTNY-241031-005

pg 4 of 6

Pesticides

Testing Method: CTND-NY-SOP-PM-002: Pesticides by LC-MS/MS

PASS 🔽



Analyte	Dilution	LOQ	Limit	Results	Status	Analyte	Dilution	LOQ	Limit	Results	Status
	1:n	ppm	ppm	ppm			1:n	ppm	ppm	ppm	
Abamectin	1	0.101	0.5	< LOQ	Pass	Kresoxim-	1	0.101	0.4	< LOQ	Pass
Acephate	1	0.101	0.4	< LOQ	Pass	methyl	100	0.101	0.4	LOQ	ras:
Acequinocyl	1	0.101	2	< LOQ	Pass	Malathion	1	0.101	0.2	< LOQ	Pas:
Acetamiprid	1	0.101	0.2	< LOQ	Pass	Metalaxyl	1	0.101	0.2	< LOQ	Pas:
Aldicarb	1	0.101	0.4	< LOQ	Pass	Methiocarb	1	0.101	0.2	< LOQ	Pas
Azadirachtin	1	0.101	1	< LOQ	Pass	Methomyl	1	0.101	0.4	< LOQ	Pas
Azoxystrobin	1	0.101	0.2	< LOQ	Pass	Methyl parathion	1	0.101	0.2	< LOQ	Pas
Bifenazate	1	0.101	0.2	< LOQ	Pass	Mevinphos	1	0.101	1	< LOQ	Pas
Bifenthrin	1	0.101	0.2	< LOQ	Pass	MGK-264			0.2	< LOQ	Pas:
Boscalid	1	0.101	0.4	< LOQ	Pass	MGK-264 I	1	0.0332		< LOQ	N/A
Captan	1	0.101	1	< LOQ	Pass	MGK-264 II	1	0.0651		< LOQ	N/A
Carbaryl	1	0.101	0.2	< LOQ	Pass	Myclobutanil	1	0.101	0.2	< LOQ	Pass
Carbofuran	1	0.101	0.2	< LOQ	Pass	Naled	1	0.101	0.5	< LOQ	Pas
Chlorantranil-					_	Oxamyl	1	0.101	1	< LOQ	Pas:
iprole	1	0.101	0.2	< LOQ	Pass	Paclobutrazol	1	0.101	0.4	< LOQ	Pass
Chlordane	1	0.403	1	< L00	Pass	Pentachloroni-				/	_
Chlorfenapyr	1	0.101	1	< LOO	Pass	trobenzene	1	0.101	1	< LOQ	Pas
Chlormequat chloride	1	0.101	1	< LOO	Pass	Permethrin			0.2	< L00	Pas
Chlorpyrifos	1	0.101	0.2	< LOQ	Pass	Permethrin cis	1	0.0464	/	< LOO	N/A
Clofentezine	1	0.101	0.2	< LOO	Pass	Permethrin trans	1	0.0544		< LOQ	N/A
Coumaphos	1	0.101	1	< LOO	Pass	Phosmet	1	0.101	0.2	< LOQ	Pas
Cyfluthrin	1	0.101	1	< LOQ	Pass	Piperonylbuto-				· ·	
Cypermethrin	1	0.101	1	< LOQ	Pass	xide	1	0.101	2	< LOQ	Pass
Daminozide	1	0.101	1	< LOO	Pass	Prallethrin	1	0.101	0.2	< L00	Pass
Diazinon	1	0.101	0.2	< LOQ	Pass	Propiconazole	i	0.101	0.4	< LOQ	Pas
Dichlorvos	1	0.101	1	< LOQ	Pass	Propoxur	1	0.101	0.2	< LOQ	Pas
Dimethoate	1	0.101	0.2	< LOO	Pass	Pyrethrins		0.101	1	< LOQ	Pas
Dimethomorph	1	0.101	1	< LOQ	Pass	Pyrethrins Cinerin I	1	0.00544		< LOQ	N/A
Ethoprophos	i	0.101	0.2	< LOO	Pass	Pyrethrins Jasmolin I	i	0.00344		< LOO	N/A
Etofenprox	1	0.101	0.4	< LOQ	Pass	Pyrethrins Pyrethrin I	i	0.0536		< LOQ	N/A
Etoxazole	1	0.101	0.2	< LOO	Pass	Pyridaben	1	0.101	0.2	< LOQ	Pas
Fenhexamid	1	0.101	1	< LOQ	Pass	Spinetoram	1	0.101	1	< LOO	Pas
Fenoxycarb	1	0.101	0.2	< LOQ	Pass	Spinosad		01.101	0.2	< LOQ	Pas
Fenpyroximate	1	0.101	0.4	< LOQ	Pass	Spinosad A	1	0.0813	0.2	< LOQ	N/A
Fipronil	1	0.101	0.4	< LOQ	Pass	Spinosad D	1	0.0175		< LOQ	N/A
Flonicamid	1	0.101	1	< LOQ	Pass	Spiromesifen	1	0.101	0.2	< LOQ	Pass
Fludioxonil	1	0.101	0.4	< LOQ	Pass	Spirotetramat	1	0.101	0.2	< LOQ	Pas
Hexythiazox	1	0.101	1	< LOQ	Pass	Spiroxamine	1	0.101	0.2	< LOQ	Pas
Imazalil	1	0.101	0.2	< LOQ	Pass	Tebuconazole	1	0.101	0.4	< LOQ	Pass
Imidacloprid	1	0.101	0.4	< LOQ	Pass	Thiacloprid	1	0.101	0.2	< LOQ	Pas
Indole-3-butyric acid	1	0.101	1	< LOQ	Pass	Thiamethoxam	1	0.101	0.2	< LOQ	Pas
muoie-3-butyrit acid	1	0.101		\ LOQ	rass	Trifloxystrob-	1	0.101		/ .	r d5:
						in	1	0.101	0.2	< LOQ	Pas
Prepared By: k4gdmc Analysis Date: Nov 04, 2024 11:0	0:00 FST Nov 04	2024		lyzed By: k4gd			Reviewed By: k4				
17:00:00 EST	0.00 L31, NOV 04,	2024	Pre	vveigit. 0.99	o di airis		Lab Datcii#: NP	IVIZ40143			

Certified Testing and Data 150 Broadway STE 194 Menands, NY 12204 certifiedtnd.com License: OCM-CPL-2022-00009 Contact: Larry Clement ph: 5189005515 email: info@certifiedtnd.com



Larry Clement Quality Assurance Officer





Regulatory Compliance Testing Report Date: Nov 06, 2024

Sample ID: CTNY-241031-005

pg 5 of 6

Residual Solvents

Testing Method: CTND-NY-SOP-R-002, CTND-NY-SOP-R-001: Residual Solvents by GC-MS





Analyte	Dilution	LOQ	Limit	Results	Status	Analyte	Dilution	LOQ	Limit	Results	Status
	1:n	ppm	ppm	ppm			1:n	ppm	ppm	ppm	
1,1,1,2-	1	183.000	1000	< LOQ	Pass	Dimethyl sulfoxide	1	1460.000	5000	< LOQ	Pass
Tetrafluoroethane		103.000	1000	\ LOQ	F d 5 5	Ethanol	1	73.200	5000	190.130	Pass
1,1,1-	1	73.200	1500	< LOQ	Pass	Ethyl acetate	1	73.200	5000	< LOQ	Pass
Trichloroethane		73.200	1500	1 LOQ	1 433	Ethyl ether	1	73.200	5000	< LOQ	Pass
1,2-	1	7.320	5	< LOQ	Pass	Heptane	1	73.200	5000	< LOQ	Pass
Dichloroethane		7.520	3	LOQ	1 433	Hexane	1	14.600		< LOQ	N/A
2,2-	1	14.600		< LOQ	N/A	Hexanes			290	< LOQ	Pass
Dimethylbutane	·			204		Methanol	1	73.200	3000	< LOQ	Pass
2,3-	1	14.600		< LOQ	N/A	Neopentane	1	24.400		< LOQ	N/A
Dimethylbutane	·	1 11000		204		o-Xylene	1	18.300		< LOQ	N/A
2-	1	24.400		< LOQ	N/A	p- and m-Xylene	1	36.600		< LOQ	N/A
Methylbutane	·					Pentane	1	24.400		< LOQ	N/A
2-	1	14.600		< LOQ	N/A	Pentanes			5000	< LOQ	Pass
Methylpentane				、		Propane	1	73.200	5000	< LOQ	Pass
2-	1	36.600		< LOQ	N/A	Toluene	1	73.200	890	< LOQ	Pass
Methylpropane						Total xylenes			2170	< LOQ	Pass
2-Propanol	1	73.200	5000	< LOQ	Pass	Trichloroethy-	1	73.200		< LOQ	N/A
3-	1	14.600		< LOQ	N/A	lene				<	
Methylpentane	2	70.000	=000	•							
Acetone	1	73.200	5000	< LOQ	Pass						
Acetonitrile	1	73.200	410	< LOQ	Pass						
Benzene	1	0.732	2	< LOQ	Pass						
Butane	1	36.600	====	< LOQ	N/A						
Butanes		0.700	5000	< LOQ	Pass						
Chloroform	1	0.732	60	< LOQ	Pass						
Dichlorometha- ne	1	73.200	600	< LOQ	Pass						
Prepared By: 38fef6 Analysis Date: Nov 01, 2024 0	9:36:00 EDT			alyzed By: tvcko p Weight: 0.136			Reviewed By Lab Batch #:				

Terpenes

Testing Method: CTND-NY-SOP-T-002, CTND-NY-SOP-T-001: Terpenes by GC-MS

TECTED		
	TECT	



Analyte	Dilution	LOQ	Limit	Results	Results	Analyte	Dilution	LOQ	Limit	Results	Results
	1:n	%		%			1:n	%		%	
α-Bisabolol	1	0.0082		< LOQ	< LOQ	Fenchol	1	0.0082		< LOQ	< LOQ
α-Humulene	1	0.0082		< LOQ	< LOQ	y-Terpinene	1	0.0082		< LOQ	< LOQ
α-Phellandrene	1	0.0082		< LOQ	< LOQ	Geraniol	1	0.0082		< LOQ	< LOQ
α-Pinene	1	0.0082		< LOQ	< LOQ	Guaiol	1	0.0082		< LOQ	< LOQ
α-Terpinene	1	0.0082		< LOQ	< LOQ	Isopulegol	1	0.0082		< LOQ	< LOQ
β-Caryophyllene	1	0.0082		< LOQ	< LOQ	Linalool	1	0.0082		< LOQ	< LOQ
3-Myrcene	1	0.0082		< LOQ	< LOQ	p-Cymene	1	0.0082		< LOQ	< LOQ
3-Pinene	1	0.0082		< LOQ	< LOQ	Terpineol	1	0.0082		< LOQ	< LOQ
Camphene	1	0.0082		< LOQ	< LOQ	Terpinolene	1	0.0082		< LOQ	< LOQ
Caryophyllene Oxide	1	0.0082		< LOQ	< LOQ	trans-β-Farnesene	1	0.0082		< LOQ	< LOQ
cis-β-Ocimene	1	0.0023		< LOQ	< LOQ	trans-β-Ocimene	1	0.0055		< LOQ	< LOQ
d-Limonene	1	0.0082		< LOQ	< LOQ	trans-Nerolidol	1	0.0082		< LOQ	< LOQ
∆³-Carene	1	0.0082		< LOQ	< LOQ	Valencene	1	0.0082		< LOQ	< LOQ
Eucalyptol	1	0.0082		< LOQ	< LOQ	Total Terpenes				< L00	< L00
Total Terpenes				< LOQ	< LOQ						
Prepared By: tvckqh Analysis Date: Nov 01, 2024	12:55:00 ED	Г			lyzed By: tvckqh Weight: 0.0973 Gr	ms		wed By: 38 atch#: NT			



Certified Testing and Data 150 Broadway STE 194 Menands, NY 12204 certifiedtnd.com License: OCM-CPL-2022-00009 Contact: Larry Clement ph: 5189005515 email: info@certifiedtnd.com



Larry Clement
Quality Assurance Officer





Regulatory Compliance Testing Report Date: Nov 06, 2024

Sample ID: CTNY-241031-005

pg 6 of 6

Water Activity
Testing Method: CTND-NY-SOP-W-001: Water Activity

PASS 🗸



Analyte		Limit	Results	Status
Water Activity		0.85 Aw	0.66 Aw	Pass
Prepared By: 38fef6	Analyzed By: 38fef6		Reviewed By: 38fef6	

Regulatory Compliance Testing



Certified Testing and Data 150 Broadway STE 194 Menands, NY 12204 certifiedtnd.com License: OCM-CPL-2022-00009 Contact: Larry Clement ph: 5189005515 email: info@certifiedtnd.com



Larry Clement Quality Assurance Officer

