

Jaunty

Order No.: ONYJTY1126-0003604
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247

Sample: SNYJTY1126-CVAP-0011249

Strain: Sour Diesel, Unit Weight: 1.0000g
 Batch#: JYVC24331H, Batch Size: 8736
 Sample Received: 11/26/2024 05:07
 Report Created: 12/02/2024 18:09
 Sampling SOP 204-NY

JYVC24331H

Concentrates & Extracts, Vape



Results

827.340 mg/unit
D9-THC

52.930 mg/unit
CBG

0.00 mg/unit
Total CBD

827.34 mg/unit
Total THC


889.09 mg/unit
Total Cannabinoids

8.016%
Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Homogeneity Pass	Terpenes Pass
Residual Solvents Pass	Mycotoxins Pass	Heavy Metals Pass
Pesticides Pass		

Dominant Terpenes





Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Jaunty

Order No.: ONYJTY1126-0003604
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY1126-CVAP-0011249

Strain: Sour Diesel, Unit Weight: 1.0000g
Batch#: JYVC24331H, Batch Size: 8736
Sample Received: 11/26/2024 05:07
Report Created: 12/02/2024 18:09
Sampling SOP 204-NY

JYVC24331H

Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY
Date/Time Tested: 11/29/2024
14:21

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/unit
CBDV	4,905.55	ND	ND	ND
CBDa	4,905.55	ND	ND	ND
CBGa	4,905.55	ND	ND	ND
CBG	4,905.55	52.93	5.29	52.93
CBD	4,905.55	ND	ND	ND
THCV	4,905.55	ND	ND	ND
CBN	4,905.55	8.82	0.88	8.82
D9-THC	4,905.55	827.34	82.73	827.34
D8-THC	4,905.55	ND	ND	ND
(6aR,9S)-d10-THC	4,905.55	ND	ND	ND
(6aR,9R)-d10-THC	4,905.55	ND	ND	ND
CBC	4,905.55	< LOQ	< LOQ	< LOQ
THCa	4,905.55	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		827.34	82.73	827.34
Total Cannabinoids		889.09	88.91	889.09

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation;
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.
Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 619-NY
Date/Time Tested: 12/02/2024
15:31

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria		10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold		1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Homogeneity

Pass

Analyte	Result
Homogeneity	Pass



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Jaunty

Order No.: ONYJTY1126-0003604
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247

Sample: SNYJTY1126-CVAP-0011249

Strain: Sour Diesel, Unit Weight: 1.0000g
 Batch#: JYVC24331H, Batch Size: 8736
 Sample Received: 11/26/2024 05:07
 Report Created: 12/02/2024 18:09
 Sampling SOP 204-NY

JYVC24331H

Concentrates & Extracts, Vape



Terpenes

SOP 620-NY

Date/Time Tested: 11/27/2024 16:32

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	8.016	Passed	d-3-Carene	161		0.018	Tested
Terpinolene	161		1.899	Tested	Camphene	161		< LOQ	Tested
Limonene	161		1.315	Tested	Eucalyptol	161		< LOQ	Tested
b-Myrcene	161		1.269	Tested	Nerol	161		ND	Tested
b-Caryophyllene	161		0.911	Tested	Pulegone	161		ND	Tested
a-Terpinene	161		0.870	Tested	DL-Menthol	161		ND	Tested
a-Humulene	161		0.358	Tested	Geranyl Acetate	161		ND	Tested
a-Pinene	161		0.356	Tested	a-Cedrene	161		ND	Tested
b-Pinene	161		0.183	Tested	Isoborneol	161		ND	Tested
Linalool	161		0.155	Tested	Sabinene	161		ND	Tested
a-Bisabolol	161		0.143	Tested	Valencene	161		ND	Tested
trans-b-Ocimene	161		0.125	Tested	Camphor	161		ND	Tested
Geraniol	161		0.110	Tested	Isopulegol	161		ND	Tested
trans-Nerolidol	161		0.066	Tested	Guaial	161		ND	Tested
Fenchol	161		0.057	Tested	Fenchone	161		ND	Tested
Terpineol	161		0.056	Tested	Cedrol	161		ND	Tested
cis-Nerolidol	161		0.052	Tested	Sabinene Hydrate	161		ND	Tested
trans-b-Farnesene	161		0.028	Tested	a-Phellandrene	161		ND	Tested
p-Cymene	161		0.026	Tested	g-Terpinene	161		< LOQ	Tested
Caryophyllene Oxide	161		0.019	Tested	Borneol	161		< LOQ	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

4 of 7

Jaunty

Order No.: ONYJTY1126-0003604
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247

Sample: SNYJTY1126-CVAP-0011249

Strain: Sour Diesel, Unit Weight: 1.0000g
 Batch#: JYVC24331H, Batch Size: 8736
 Sample Received: 11/26/2024 05:07
 Report Created: 12/02/2024 18:09
 Sampling SOP 204-NY

JYVC24331H

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Date/Time Tested: 11/27/2024 17:55

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	39	5,000	< LOQ	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	39	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	195	5,000	ND	Passed
Ethyl Acetate	195	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	97	5,000	ND	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	< LOQ	Passed
Isopropyl Alcohol	195	5,000	ND	Passed
Methanol	117	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	58	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	4,864	1,500	ND	Passed
Xylenes	257	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 11/28/2024 07:35

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested	Ochratoxin A	4.9	20.0	ND	Passed
B2	4.9		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.9		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.9		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

5 of 7

Jaunty

Order No.: ONYJTY1126-0003604
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY1126-CVAP-0011249

Strain: Sour Diesel, Unit Weight: 1.0000g
Batch#: JYVC24331H, Batch Size: 8736
Sample Received: 11/26/2024 05:07
Report Created: 12/02/2024 18:09
Sampling SOP 204-NY

JYVC24331H

Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY

Date/Time Tested: 12/02/2024 11:26

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.181	2.000	ND	Passed
Arsenic	0.181	0.200	ND	Passed
Cadmium	0.181	0.200	ND	Passed
Chromium	0.181	110.000	ND	Passed
Copper	0.217	30.000	ND	Passed
Mercury	0.043	0.100	ND	Passed
Nickel	0.217	2.000	ND	Passed
Lead	0.181	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Jaunty

Order No.: ONYJTY1126-0003604
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247

Sample: SNYJTY1126-CVAP-0011249

Strain: Sour Diesel, Unit Weight: 1.0000g
 Batch#: JYVC24331H, Batch Size: 8736
 Sample Received: 11/26/2024 05:07
 Report Created: 12/02/2024 18:09
 Sampling SOP 204-NY

JYVC24331H

Concentrates & Extracts, Vape



Pesticides

SOP 814-NY

Date/Time Tested: 11/27/2024 10:15

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Fonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Jaunty

Order No.: ONYJTY1126-0003604
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247

Sample: SNYJTY1126-CVAP-0011249

Strain: Sour Diesel, Unit Weight: 1.0000g
 Batch#: JYVC24331H, Batch Size: 8736
 Sample Received: 11/26/2024 05:07
 Report Created: 12/02/2024 18:09
 Sampling SOP 204-NY

JYVC24331H

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	< LOQ	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	< LOQ	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.