

Adult Use Compliance

OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 1 of 7 kimberlyk@actlab.com

Sample: SNYJTY0530-CVAP-0015642

Strain: Sunset Serenade, Unit Weight: .5000g Batch#: JROC25150D, Batch Size: 2500 Sample Received: 05/30/2025 19:52 Report Created: 06/03/2025 17:59

Sampling SOP 204-NY



Jaunty

Order No.: ONYJTY0530-0006808 4883 State Route 67 New York, 12090 dennis.t@naturae.com 5189377247

Sunset Serenade JROC25150D

Concentrates & Extracts, Vape




Results

282.65 mg/unit _{D9-ТНС}	79.90 mg/unit
0.00 mg/unit Total CBD	352.72 mg/unit
393.31 mg/unit Total Cannabinoids	8.166% Total Terpenes

Tests Summary

Cannabinoids	Moisture	Microbials
Tested	Not Tested	Pass
Water Activity	Foreign Matter	Homogeneity
Not Tested	Not Tested	Pass
Terpenes	Residual Solvents	Mycotoxins
Pass	Pass	Pass

Dominant Terpenes









Kimberly Krisolofsky

Limberly Kisolopby

Lead Technical Director



Compliance Adult Use

OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 2 of 7 kimberlyk@actlab.com

Jaunty

Order No.: ONYJTY0530-0006808

4883 State Route 67 New York, 12090 dennis.t@naturae.com 5189377247

Sample: SNYJTY0530-CVAP-0015642

Strain: Sunset Serenade, Unit Weight: .5000g Batch#: JROC25150D, Batch Size: 2500 Sample Received: 05/30/2025 19:52 Report Created: 06/03/2025 17:59

Sampling SOP 204-NY

Sunset Serenade JROC25150D

Concentrates & Extracts, Vape



Pass

0

ND

Pass

Passed

Cannabinoids

SOP 801-NY

Date/Time Tested: 06/02/2025

15:56

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	5,028.19	ND	ND	ND
CBDa	5,028.19	ND	ND	ND
CBGa	5,028.19	2.12	21.16	10.58
CBG	5,028.19	1.29	12.94	6.47
CBD	5,028.19	ND	ND	ND
THCV	5,028.19	2.09	20.89	10.44
CBN	5,028.19	ND	ND	ND
D9-THC	5,028.19	56.53	565.30	282.65
D8-THC	5,028.19	ND	ND	ND
(6aR,9S)-d10-THC	5,028.19	ND	ND	ND
(6aR,9R)-d10-THC	5,028.19	ND	ND	ND
CBC	5,028.19	0.65	6.55	3.27
THCa	5,028.19	15.98	159.80	79.90
Total CBD		0.00	0.00	0.00
Total THC		70.54	705.44	352.72
Total Cannabinoids		78.66	786.63	393.31

Notes: Total THC = THCa * $0.877 + \Delta 8$ -THC + $\Delta 9$ -THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THCTotal CBD = CBDa * 0.877 + CBDTotal Cannabinoids= Sum of all cannabinoidsLOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 418-NY Date/Time Tested: 06/02/2025

16:10

Tested

Analyte LOQ (CFU/g) Limit (CFU/g) CFU/g Status Aerobic Bacteria 10,000 F. Coli 0 ND Passed Yeast & Mold 1.000 ND Passed Salmonella ND **Passed** Aspergillus Flavus 0 ND **Passed** Aspergillus Fumigatus 0 ND Passed Aspergillus Niger 0 ND **Passed**

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Homogeneity

Aspergillus Terreus

Date/Time Tested: 06/02/2025

15:56

Analyte Result

Homogeneity







Compliance Adult Use

OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 kimberlyk@actlab.com

3 of 7

Jaunty
Order No.: ONYJTY0530-0006808
Strain: Sunset Serenade, Unit Weight: .5000g

 Order No.: ONYJTY0530-0006808
 Strain: Sunset Serenade, Unit Weight: .5000g

 4883 State Route 67
 Batch#: JROC25150D, Batch Size: 2500

 New York, 12090
 Sample Received: 05/30/2025 19:52

 dennis.t@naturae.com
 Report Created: 06/03/2025 17:59

 5189377247
 Sampling SOP 204-NY

Pass

Sunset Serenade JROC25150D

Concentrates & Extracts, Vape

■ Carrottate

Terpenes

SOP 620-NY

Date/Time Tested: 06/02/2025 17:37

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	8.1664	Passed	Isoborneol	163		ND	Tested
b-Caryophyllene	163		3.7540	Tested	DL-Menthol	163		ND	Tested
a-Humulene	163		1.2785	Tested	Isopulegol	163		ND	Tested
trans-b-Farnesene	488		0.9483	Tested	Nerol	163		ND	Tested
cis-Nerolidol	163		0.5669	Tested	Eucalyptol	163		ND	Tested
a-Bisabolol	163		0.5345	Tested	Geraniol	163		ND	Tested
Linalool	163		0.2746	Tested	Geranyl Acetate	163		ND	Tested
b-Myrcene	163		0.2537	Tested	a-Cedrene	163		ND	Tested
Fenchol	163		0.1275	Tested	a-Terpinene	163		ND	Tested
a-Pinene	163		0.1164	Tested	d-3-Carene	163		ND	Tested
Terpineol	163		0.1034	Tested	Valencene	163		ND	Tested
Caryophyllene Oxide	163		0.0530	Tested	a-Phellandrene	163		ND	Tested
trans-b-Ocimene	163		0.0455	Tested	Limonene	163		ND	Tested
trans-Nerolidol	163		0.0439	Tested	Guaiol	163		ND	Tested
Camphene	163		0.0248	Tested	Sabinene Hydrate	163		ND	Tested
Borneol	163		0.0234	Tested	Cedrol	163		ND	Tested
Terpinolene	163		0.0180	Tested	b-Pinene	163		ND	Tested
Pulegone	163		ND	Tested	p-Cymene	163		ND	Tested
g-Terpinene	163		ND	Tested	Sabinene	163		ND	Tested
Camphor	163		ND	Tested	Fenchone	163	<	< LOQ	Tested

Notes

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Kisolopsky

^{*} indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Order No.: ONYJTY0530-0006808

4883 State Route 67 New York, 12090

dennis.t@naturae.com

Certificate of Analysis

Compliance Adult Use

OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 kimberlyk@actlab.com

Sample: SNYJTY0530-CVAP-0015642

Strain: Sunset Serenade, Unit Weight: .5000g Batch#: JROC25150D, Batch Size: 2500 Sample Received: 05/30/2025 19:52 Report Created: 06/03/2025 17:59

Sampling SOP 204-NY

Sunset Serenade JROC25150D

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Jaunty

5189377247

Date/Time Tested: 06/01/2025 12:08

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	41	5,000	< LOQ	Passed
Acetonitrile	17	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	41	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	207	5,000	< LOQ	Passed
Ethyl Acetate	207	5,000	ND	Passed
Ethyl Ether	21	5,000	ND	Passed
DMSO	103	5,000	ND	Passed
Heptane	21	5,000	ND	Passed
Hexanes	6	290	< LOQ	Passed
Isopropyl Alcohol	207	5,000	< LOQ	Passed
Methanol	124	3,000	ND	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	62	5,000	ND	Passed
Propane	21	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	52	1,500	ND	Passed
Xylenes	273	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	21	1,000	ND	Passed

Notes

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 05/31/2025 12:25

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested	Ochratoxin A	4.6	20.0	ND	Passed
B2	4.6		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.6		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.6		ND	Tested					

Notes

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky

Lead Technical Director

O/IEC 17025:2017 accreditation is pending This product has been test

^{*} indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Compliance Adult Use

OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 kimberlyk@actlab.com

Jaunty

Order No.: ONYJTY0530-0006808

4883 State Route 67 New York, 12090 dennis.t@naturae.com 5189377247 Sample: SNYJTY0530-CVAP-0015642

Strain: Sunset Serenade, Unit Weight: .5000g Batch#: JROC25150D, Batch Size: 2500 Sample Received: 05/30/2025 19:52 Report Created: 06/03/2025 17:59 Sampling SOP 204-NY

Sunset Serenade JROC25150D

Concentrates & Extracts, Vape



Pass

Heavy Metals

SOP 250-NY

Date/Time Tested: 06/02/2025 10:49

Analyte LOQ (ug/g) Limit (ug/g) ug/g **Status** 0.185 ND Antimony 2.000 Passed Arsenic 0.185 0.200 ND Passed NDCadmium 0.185 0.200 Passed 0.185 110.000 0.411 Chromium Passed Copper 0.223 30.000 ND **Passed** Mercury 0.045 0.100 ND Passed Nickel 0.223 2.000 0.263 Passed Lead 0.185 0.500 ND Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported







Compliance Adult Use

OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 kimberlyk@actlab.com 6 of 7

Sample: SNYJTY0530-CVAP-0015642

Strain: Sunset Serenade, Unit Weight: .5000g Batch#: JROC25150D, Batch Size: 2500 Sample Received: 05/30/2025 19:52 Report Created: 06/03/2025 17:59

Sampling SOP 204-NY

Sunset Serenade JROC25150D

Concentrates & Extracts, Vape

Order No.: ONYJTY0530-0006808

4883 State Route 67 New York, 12090

dennis.t@naturae.com



Pesticides

SOP 814-NY

Jaunty

5189377247

Date/Time Tested: 05/31/2025 11:04

Pass

Aceplate 0.09 0.40 ND Passed Acequinocyl Acequinocyl 0.09 2.00 ND Passed Acetamiprid Acetamiprid 0.09 0.20 ND Passed Aldicarb Aldicarb 0.09 0.20 ND Passed Bifenacate Bifenazate 0.09 0.20 ND Passed Bifenatare Boscalid 0.09 0.20 ND Passed Boscalid Carbaryl 0.09 0.20 ND Passed Carbofuran Carbofuran 0.09 0.20 ND Passed Chlorantraniliprole Choryprifos 0.09 0.20 ND Passed Chlorantraniliprole Compaphos 0.09 0.20 ND Passed Chlorantraniliprole Commaphos 0.09 0.20 ND	Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Aceganiporyl 0.09 2.00 ND Passed Acetamiprid Acetamiprid 0.09 0.20 ND Passed Aldicarb Aldicarb 0.09 0.40 ND Passed Blentarch Bifenarate 0.09 0.20 ND Passed Blenthrin Boscalid 0.09 0.20 ND Passed Blenthrin Boscalid 0.09 0.20 ND Passed Carboryl Carboryl 0.09 0.20 ND Passed Carboryn Carboryl 0.09 0.20 ND Passed Chorantraniliprole Carboryl 0.09 0.20 ND Passed Chorantraniliprole Clorentezine 0.09 0.20 ND Passed Chorantraniliprole Coumaphos 0.09 0.20 ND Passed Chorantraniliprole Coumaphos 0.09 0.20 ND Passed Chorantraniliprole Coumaphos 0.09 1.00 ND Passed Chorantraniliprole Coumaphos 0.09 1.00 ND Pass	Abamectin	0.36	0.50	ND	Passed
Acetamiprid 0.09 0.20 ND Passed Aldicarb Aldicarb 0.09 0.40 ND Passed Azoxystrobin Aldicarb 0.09 0.20 ND Passed Bifenazate Bifenazate 0.09 0.20 ND Passed Boscalid Carbaryl 0.09 0.40 ND Passed Carbaryl Carbaryl 0.09 0.20 ND Passed Chiorantraniliprole Chiorantraniliprole 0.09 0.20 ND Passed Chiorantraniliprole Chiorantraniliprole 0.09 0.20 ND Passed Chiorantraniliprole Comaphos 0.09 0.20 ND Passed Chiorantraniliprole Comaphos 0.09 0.20 ND Passed Chiorantraniliprole Comaphos 0.09 1.00 ND Passed Chiorantraniliprole Cyfluthrin 0.09 1.00 ND Passed Chiorantraniliprole Cyfluthrin 0.09 1.00 ND Passed Dimethomethin Daminozide 0.09 1.00 <td>Acephate</td> <td>0.09</td> <td>0.40</td> <td>ND</td> <td>Passed</td>	Acephate	0.09	0.40	ND	Passed
Aldicarb 0.09 0.40 ND Passed Bressed Brenarate Bifenatare 0.09 0.20 ND Passed Bifenatrate Bifenthrin 0.09 0.20 ND Passed Bifenthrin Boscalid 0.09 0.40 ND Passed Carborly Carborluran 0.09 0.20 ND Passed Carborluran Chlorantraniliprole 0.09 0.20 ND Passed Chlorantraniliprole Chlorapyrifos 0.09 0.20 ND Passed Chlorantraniliprole Chorantraniliprole 0.09 0.20 ND Passed Chlorantraniliprole Chiorantraniliprole 0.09 0.20 ND Passed Chlorantraniliprole Cypermethrin 0.09 1.00 ND Passed Chlorantraniliprole	Acequinocyl	0.09	2.00	ND	Passed
Azoystobin 0.09 0.20 ND Passed Bifenazate Bifenazate 0.09 0.20 ND Passed Bifenthrin Boscalid 0.09 0.20 ND Passed Boscalid Carbaryl 0.09 0.20 ND Passed Carbofuran Carbofuran 0.09 0.20 ND Passed Chlorantraniliprole Chorantraniliprole 0.09 0.20 ND Passed Chloraprifos Clofentezine 0.09 0.20 ND Passed Comaphos Cyfentezine 0.09 0.00 ND Passed Cyfentezine Cymanphos 0.09 1.00 ND Passed Dymansed Cyfentezine Dimethoai 0.09 1.00 ND Passed Dim	Acetamiprid	0.09	0.20	ND	Passed
Bifenazate 0.09 0.20 ND Passed Boscalid Boscalid 0.09 0.40 ND Passed Boscalid Carbofural 0.09 0.20 ND Passed Carbofuran Chlorantraniliprole 0.09 0.20 ND Passed Chlorantraniliprole Chlorapyrifos 0.09 0.20 ND Passed Chlorantraniliprole Chorantraniliprole 0.09 0.20 ND Passed Chlorantraniliprole Chiorapyrifos 0.09 0.20 ND Passed Chlorantraniliprole Cypermethrin 0.09 0.00 ND Passed Cypermethrin Daminozide 0.09 0.00 ND Passed Cypermethrin Daminozide	Aldicarb	0.09	0.40	ND	Passed
Bifenthrin 0.09 0.20 ND Passed Boscalid Carbaryl 0.09 0.20 ND Passed Carborun Carboruna 0.09 0.20 ND Passed Carboruna Chlorantraniliprole 0.09 0.20 ND Passed Chlorantraniliprole Chlorapyrifos 0.09 0.20 ND Passed Chlorantraniliprole Comenaphos 0.09 0.20 ND Passed Chlorantraniliprole Coumaphos 0.09 1.00 ND Passed Cyfluthrin Cypermethrin 0.09 1.00 ND Passed Dymanicale Opaminozide 0.09 1.00 ND Passed Diazinon Dichlorvos 0.09 0.20 ND Passed Dimethoate Dimethoate 0.09 0.00 ND Passed Dimethomorph Ethoprophos 0.09 0.00 ND Passed Dimethomorph Unimethomorph 0.09 0.00 ND Passed Etofenprox Ethofenprox 0.09 0.00 ND	Azoxystrobin	0.09	0.20	ND	Passed
Boscalid 0.09 0.40 ND Passed Carbaryl Carbofuran 0.09 0.20 ND Passed Carbofuran Chlorantraniliprole 0.09 0.20 ND Passed Chloraptraniliprole Chlorpyrifos 0.09 0.20 ND Passed Chloraptrifos Clofentezine 0.09 0.20 ND Passed Coumaphos Cyfluthrin 0.46 1.00 ND Passed Cyfluthrin Cypermethrin 0.09 1.00 ND Passed Daminozide Diazinon 0.09 1.00 ND Passed Daminozide Diazinon 0.09 1.00 ND Passed Diazinon Dicklorvos 0.09 1.00 ND Passed Diazinon Dimethoate 0.09 1.00 ND Passed Diazinon Dimethoate 0.09 1.00 ND Passed Ethoprophos Etofenprox 0.09 0.20 ND Passed Etoprophos Etofenprox 0.09 0.20 ND Passed Etoxazole <td>Bifenazate</td> <td>0.09</td> <td>0.20</td> <td>ND</td> <td>Passed</td>	Bifenazate	0.09	0.20	ND	Passed
Carbaryl 0.09 0.20 ND Passed Carbofuran 0.09 0.20 ND Passed Chlorantraniliprole 0.09 0.20 ND Passed Chlorpyrifos 0.09 0.20 ND Passed Clofentezine 0.09 0.20 ND Passed Coumaphos 0.09 1.00 ND Passed Cyfluthrin 0.46 1.00 ND Passed Cypermethrin 0.09 1.00 ND Passed Daminozide 0.09 1.00 ND Passed Dichlorvos 0.09 1.00 ND Passed Dichlorvos 0.09 1.00 ND Passed Dimethoate 0.09 1.00 ND Passed Dimethomorph 0.09 1.00 ND Passed Etofenprox 0.09 0.20 ND Passed Etosazole 0.09 0.40 ND Passed <t< td=""><td>Bifenthrin</td><td>0.09</td><td>0.20</td><td>ND</td><td>Passed</td></t<>	Bifenthrin	0.09	0.20	ND	Passed
Carboruran 0.09 0.20 ND Passed Chlorantraniliprole Chlorantraniliprole 0.09 0.20 ND Passed Chlorprifos Clofentezine 0.09 0.20 ND Passed Coumaphos Coumaphos 0.09 1.00 ND Passed Coumaphos Cyfluthrin 0.46 1.00 ND Passed Cypermethrin Daminozide 0.09 1.00 ND Passed Diachoros Diazinon 0.09 0.20 ND Passed Diachoros Dichlorvos 0.09 1.00 ND Passed Diachoros Dimethoate 0.09 0.20 ND Passed Diachoros Dimethoate 0.09 0.20 ND Passed Diachoros Dimethoate 0.09 0.20 ND Passed Ethogrophos Ethogrophos 0.09 0.20 ND Passed Ethogrophos Etoazole 0.09 0.40 ND Passed Etoazole Fenhexamid 0.09 0.20 ND Passed Fenboxycarb <td>Boscalid</td> <td>0.09</td> <td>0.40</td> <td>ND</td> <td>Passed</td>	Boscalid	0.09	0.40	ND	Passed
Chlorantraniliprole 0.09 0.20 ND Passed Chlorpyrifos 0.09 0.20 ND Passed Coumaphos 0.09 1.00 ND Passed Cyfuthrin 0.46 1.00 ND Passed Cyptermethrin 0.09 1.00 ND Passed Diazinon 0.09 1.00 ND Passed Diazinon 0.09 0.20 ND Passed Dichlorvos 0.09 1.00 ND Passed Dimethoate 0.09 0.20 ND Passed Ethoprophos 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etoragole 0.09 0.40 ND Passed Etoragole 0.09 0.20 ND Passed Etoragole 0.09 0.20 ND Passed Etoragole 0.09 0.20 ND Passed	Carbaryl	0.09	0.20	ND	Passed
Chlorpyrifos 0.09 0.20 ND Passed Clofentezine 0.09 0.20 ND Passed Coumaphos 0.09 1.00 ND Passed Cypermethrin 0.46 1.00 ND Passed Opermethrin 0.09 1.00 ND Passed Diazinon 0.09 1.00 ND Passed Diazinon 0.09 1.00 ND Passed Dimethores 0.09 1.00 ND Passed Dimethoare 0.09 1.00 ND Passed Ethoprophos 0.09 1.00 ND Passed Etofenprox 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Fenhexamid 0.09 0.20 ND Passed Fenoxycarb 0.09 0.40 ND Passed Fenoxycarb 0.09 0.40 ND Passed	Carbofuran	0.09	0.20	ND	Passed
Clofentezine 0.09 0.20 ND Passed Comaphos Comaphos 0.09 1.00 ND Passed Cyfluthrin Cyfluthrin 0.46 1.00 ND Passed Daminozide Opermethrin 0.09 1.00 ND Passed Daminozide Diazinon 0.09 0.20 ND Passed Dimethoros Dicklorvos 0.09 0.20 ND Passed Dimethoros Dimethoate 0.09 0.20 ND Passed Dimethoror Dimethomorph 0.09 0.20 ND Passed Dimethomorph Ethoprophos 0.09 0.20 ND Passed Dimethomorph Etosazole 0.09 0.40 ND Passed Dimethomorph Etosazole 0.09 0.40 ND Passed Dimethomorph Enoxycarb 0.09 0.20 ND Passed Dimethomorph Fenoxycarb 0.09 0.40 ND Passed Dimethomorph Fenoxycarb 0.09 0.40 ND Passed Dimethomorph	Chlorantraniliprole	0.09	0.20	ND	Passed
Coumaphos 0.09 1.00 ND Passed Cyfluthrin Cypermethrin 0.09 1.00 ND Passed Daninozide Daminozide 0.09 1.00 ND Passed Diazinon Dichlorvos 0.09 1.00 ND Passed Diazinon Dimethoate 0.09 1.00 ND Passed Dimethoate Dimethomorph 0.09 0.20 ND Passed Dimethomorph Ethogrophos 0.09 0.20 ND Passed Dimethomorph Etofenprox 0.09 0.20 ND Passed Dimethomorph Fenoxycarb 0.09 0.20 ND Passed Dimethomor	Chlorpyrifos	0.09	0.20	ND	Passed
Cyfluthrin 0.46 1.00 ND Passed Cypermethrin 0.09 1.00 ND Passed Daminozide 0.09 1.00 ND Passed Diazinon 0.09 0.20 ND Passed Dichlorvos 0.09 0.20 ND Passed Dimethoate 0.09 0.20 ND Passed Dimethomorph 0.09 0.20 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 0.20 ND Passed Fennoxycarb 0.09 0.20 ND Passed Fipronil 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed	Clofentezine	0.09	0.20	ND	Passed
Cypermethrin 0.09 1.00 ND Passed Daminozide Daminozide 0.09 1.00 ND Passed Dimethromogh Dichlorvos 0.09 1.00 ND Passed Dimethromogh Dimethomogh 0.09 1.00 ND Passed Dimethromogh Ethoprophos 0.09 0.20 ND Passed Dimethromogh Ethofenprox 0.09 0.40 ND Passed Dimethromogh Etofenprox 0.09 0.20 ND Passed Dimethromogh Fenhexamid 0.09 0.20 ND Passed Dimethromogh Fenhexamid 0.09 0.40 ND Passed Dimethromogh Fenpyroximate 0.09 0.40 ND Passed Dimethromogh Fipronil 0.09 0.40 ND Pas	Coumaphos	0.09	1.00	ND	Passed
Daminozide 0.09 1.00 ND Passed Diazinon 0.09 0.20 ND Passed Dichlorvos 0.09 1.00 ND Passed Dimethoate 0.09 0.20 ND Passed Dimethomorph 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofazole 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenoxycarb 0.09 0.20 ND Passed Fenoxycarb 0.09 0.40 ND Passed Fenoryimate 0.09 0.40 ND Passed Filpronil 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazali 0.09 0.40 ND Passed	Cyfluthrin	0.46	1.00	ND	Passed
Diazinon 0.09 0.20 ND Passed Dichlorvos 0.09 1.00 ND Passed Dimethoate 0.09 0.20 ND Passed Dimethomorph 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 0.20 ND Passed Fenpyroximate 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.40 ND Passed Imazolicyid 0.09 0.40 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed	Cypermethrin	0.09	1.00	ND	Passed
Dichlorvos 0.09 1.00 ND Passed Dimethoate 0.09 0.20 ND Passed Dimethomorph 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 0.20 ND Passed Fenoxycarb 0.09 0.20 ND Passed Fenoryroximate 0.09 0.40 ND Passed Figornil 0.09 0.40 ND Passed Fludioxanid 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazali 0.09 0.40 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed	Daminozide	0.09	1.00	ND	Passed
Dimethoate 0.09 0.20 ND Passed Dimethomorph 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 1.00 ND Passed Fenoxycarb 0.09 0.20 ND Passed Fipronil 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.40 ND Passed Imazoliri 0.09 0.40 ND Passed Kr	Diazinon	0.09	0.20	ND	Passed
Dimethoate 0.09 0.20 ND Passed Dimethomorph 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 1.00 ND Passed Fenoxycarb 0.09 0.20 ND Passed Fipronil 0.09 0.40 ND Passed Fiproximate 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.20 ND Passed Imazoliri 0.09 0.40 ND Passed Imazoliri 0.09 0.40 ND Passed Imazoliri 0.09 0.40 ND Passed	Dichlorvos	0.09	1.00	ND	Passed
Dimethomorph 0.09 1.00 ND Passed Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 1.00 ND Passed Fenoxycarb 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Fludioxoril 0.09 0.40 ND Passed Fludioxoril 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Mevinphos 0.09 0.40 ND Passed Mevinphos 0.09 0.40 ND Passed		0.09	0.20	ND	Passed
Ethoprophos 0.09 0.20 ND Passed Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 1.00 ND Passed Fenoxycarb 0.09 0.40 ND Passed Fenopyroximate 0.09 0.40 ND Passed Flonicamid 0.09 0.40 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Mevinphos 0.09 0.40 ND Passed Mevinphos 0.09 0.40 ND Passed Metalaxyl 0.09 0.20 ND Passed	Dimethomorph	0.09	1.00	ND	Passed
Etofenprox 0.09 0.40 ND Passed Etoxazole 0.09 0.20 ND Passed Fenbexamid 0.09 1.00 ND Passed Fenoxycarb 0.09 0.20 ND Passed Fenpyroximate 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Fludioxonid 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indidacloprid Acid 0.09 0.40 ND Passed Melalation 0.09 0.40 ND Passed Mevinphos 0.09 0.40 ND Passed Metalaxyl 0.09 0.40 ND Passed		0.09	0.20	ND	Passed
Etoxazole 0.09 0.20 ND Passed Fenhexamid 0.09 1.00 ND Passed Fenoxycarb 0.09 0.20 ND Passed Fenpyroximate 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Fludioxonid 0.09 0.40 ND Passed Hexythiazox 0.09 0.40 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.09 0.40 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Mevinphos 0.09 0.20 ND Passed Metalaxyl 0.09 0.20 ND Passed		0.09	0.40	ND	Passed
Fenoxycarb 0.09 0.20 ND Passed Fenpyroximate 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Flonicamid 0.09 1.00 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.20 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Mevinphos 0.09 0.20 ND Passed Metalaxyl 0.09 0.20 ND Passed	·	0.09	0.20	ND	Passed
Fenoxycarb 0.09 0.20 ND Passed Fenpyroximate 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Flonicamid 0.09 1.00 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 0.20 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Mevinphos 0.09 0.20 ND Passed Metalaxyl 0.09 0.20 ND Passed	Fenhexamid	0.09	1.00	ND	Passed
Fenpyroximate 0.09 0.40 ND Passed Fipronil 0.09 0.40 ND Passed Flonicamid 0.09 1.00 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 1.00 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Malathion 0.09 0.20 ND Passed Mevinphos 0.09 0.20 ND Passed Metalaxyl 0.09 0.20 ND Passed	Fenoxycarb	0.09	0.20		
Fipronil 0.09 0.40 ND Passed Flonicamid 0.09 1.00 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 1.00 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Malathion 0.09 0.20 ND Passed Mevinphos 0.09 1.00 ND Passed Metalaxyl 0.09 0.20 ND Passed	•	0.09	0.40	ND	Passed
Flonicamid 0.09 1.00 ND Passed Fludioxonil 0.09 0.40 ND Passed Hexythiazox 0.09 1.00 ND Passed Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Malathion 0.09 0.20 ND Passed Mevinphos 0.09 1.00 ND Passed Metalaxyl 0.09 0.20 ND Passed		0.09	0.40	ND	Passed
Hexythiazox0.091.00NDPassedImazalil0.090.20NDPassedImidacloprid0.090.40NDPassedIndole-3 Butyric Acid0.111.00NDPassedKresoxim Methyl0.090.40NDPassedMalathion0.090.20NDPassedMevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed	•	0.09	1.00	ND	Passed
Hexythiazox0.091.00NDPassedImazalil0.090.20NDPassedImidacloprid0.090.40NDPassedIndole-3 Butyric Acid0.111.00NDPassedKresoxim Methyl0.090.40NDPassedMalathion0.090.20NDPassedMevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed	Fludioxonil	0.09	0.40	ND	Passed
Imazalil 0.09 0.20 ND Passed Imidacloprid 0.09 0.40 ND Passed Indole-3 Butyric Acid 0.11 1.00 ND Passed Kresoxim Methyl 0.09 0.40 ND Passed Malathion 0.09 0.20 ND Passed Mevinphos 0.09 1.00 ND Passed Metalaxyl 0.09 0.20 ND Passed		0.09	1.00	ND	Passed
Imidacloprid0.090.40NDPassedIndole-3 Butyric Acid0.111.00NDPassedKresoxim Methyl0.090.40NDPassedMalathion0.090.20NDPassedMevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed	•				
Indole-3 Butyric Acid0.111.00NDPassedKresoxim Methyl0.090.40NDPassedMalathion0.090.20NDPassedMevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed					
Kresoxim Methyl0.090.40NDPassedMalathion0.090.20NDPassedMevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed	·				
Malathion0.090.20NDPassedMevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed	•	0.09	0.40	ND	
Mevinphos0.091.00NDPassedMetalaxyl0.090.20NDPassed	•				
Metalaxyl 0.09 0.20 ND Passed					
•	·				
Methiocarb 0.09 0.20 ND Passed	Methiocarb	0.09	0.20	ND	Passed
Methomyl 0.09 0.40 ND Passed					
		0.00	-	.,,_	



Limberly Kisolopsky

^{*} indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Compliance Adult Use

OCM-CPL-2022-00001 ACT Laboratories (NY) 16 Corporate Drive, Halfmoon, New York 5172272612 kimberlyk@actlab.com **7 of 7**

Sample: SNYJTY0530-CVAP-0015642

Strain: Sunset Serenade, Unit Weight: .5000g Batch#: JROC25150D, Batch Size: 2500 Sample Received: 05/30/2025 19:52 Report Created: 06/03/2025 17:59

Sampling SOP 204-NY

Sunset Serenade JROC25150D

Concentrates & Extracts, Vape

Order No.: ONYJTY0530-0006808

4883 State Route 67 New York, 12090

dennis.t@naturae.com

Jaunty

5189377247



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.11	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



