

Jaunty
 Order No.: ONYJTY0701-0007407
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247

Sample: SNYJTY0701-CVAP-0016606
 Unit Weight: 1.5000g
 Batch#: JYPM25182D , Batch Size: 8609
 Report Received: 07/01/2025 15:42
 Report Created: 07/08/2025 16:45
 Sampling SOP 204-NY

Blue Dream JYPM25182D
 Concentrates & Extracts, Vape




Results

1,176.72 mg/unit D9-THC	34.78 mg/unit CBN
33.20 mg/unit Total CBD	1,176.72 mg/unit Total THC
1,273.29 mg/unit Total Cannabinoids	6.415% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Jaunty

Order No.: ONYJTY0701-0007407
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY0701-CVAP-0016606

Unit Weight: 1.5000g
Batch#: JYPM25182D , Batch Size: 8609
Sample Received: 07/01/2025 15:42
Report Created: 07/08/2025 16:45
Sampling SOP 204-NY

Blue Dream JYPM25182D

Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY

Date/Time Tested: 07/02/2025 16:34

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,755.45	ND	ND	ND
CBDa	4,755.45	ND	ND	ND
CBGa	4,755.45	ND	ND	ND
CBG	4,755.45	1.18	11.81	17.72
CBD	4,755.45	2.21	22.13	33.20
THCV	4,755.45	< LOQ	< LOQ	< LOQ
CBN	4,755.45	2.32	23.19	34.78
D9-THC	4,755.45	78.45	784.48	1,176.72
D8-THC	4,755.45	ND	ND	ND
(6aR,9S)-d10-THC	4,755.45	ND	ND	ND
(6aR,9R)-d10-THC	4,755.45	ND	ND	ND
CBC	4,755.45	0.72	7.25	10.87
THCa	4,755.45	ND	ND	ND
Total CBD		2.21	22.13	33.20
Total THC		78.45	784.48	1,176.72
Total Cannabinoids		84.89	848.86	1,273.29

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 418-NY

Date/Time Tested: 07/03/2025 19:04

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Jaunty
 Order No.: ONYJTY0701-0007407
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247

Sample: SNYJTY0701-CVAP-0016606
 Unit Weight: 1.5000g
 Batch#: JYPM25182D , Batch Size: 8609
 Sample Received: 07/01/2025 15:42
 Report Created: 07/08/2025 16:45
 Sampling SOP 204-NY

Blue Dream JYPM25182D
 Concentrates & Extracts, Vape




Pass

Terpenes

SOP 620-NY
 Date/Time Tested: 07/02/2025 10:22

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	6.4154	Passed	Isoborneol	160		ND	Tested
b-Myrcene	160		1.6383	Tested	DL-Menthol	160		ND	Tested
a-Pinene	160		1.2144	Tested	Camphor	160		ND	Tested
b-Caryophyllene	160		0.8830	Tested	Nerol	160		ND	Tested
b-Pinene	160		0.6271	Tested	Pulegone	160		ND	Tested
Limonene	160		0.6144	Tested	Geraniol	160		ND	Tested
a-Humulene	160		0.3118	Tested	Geranyl Acetate	160		ND	Tested
a-Bisabolol	160		0.2693	Tested	a-Cedrene	160		ND	Tested
Linalool	160		0.2047	Tested	Sabinene Hydrate	160		ND	Tested
Terpinolene	160		0.1865	Tested	g-Terpinene	160		ND	Tested
trans-b-Ocimene	160		0.1228	Tested	Valencene	160		ND	Tested
trans-Nerolidol	160		0.0746	Tested	Isopulegol	160		ND	Tested
trans-b-Farnesene	160		0.0727	Tested	Eucalyptol	160		< LOQ	Tested
Caryophyllene Oxide	160		0.0660	Tested	Guaiol	160		< LOQ	Tested
Fenchol	160		0.0599	Tested	p-Cymene	160		ND	Tested
Camphene	160		0.0330	Tested	Cedrol	160		ND	Tested
cis-Nerolidol	160		0.0186	Tested	a-Terpinene	160		ND	Tested
Borneol	160		0.0185	Tested	d-3-Carene	160		ND	Tested
Sabinene	160		ND	Tested	a-Phellandrene	160		ND	Tested
Fenchone	160		ND	Tested	Terpineol	160		ND	Tested

Notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Jaunty

Order No.: ONYJTY0701-0007407
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY0701-CVAP-0016606

Unit Weight: 1.5000g
Batch#: JYPM25182D , Batch Size: 8609
Report Received: 07/01/2025 15:42
Report Created: 07/08/2025 16:45
Sampling SOP 204-NY

Blue Dream JYPM25182D

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Date/Time Tested: 07/02/2025 12:23

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	44	5,000	< LOQ	Passed
Acetonitrile	18	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	44	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	219	5,000	< LOQ	Passed
Ethyl Acetate	219	5,000	ND	Passed
Ethyl Ether	22	5,000	ND	Passed
DMSO	109	5,000	ND	Passed
Heptane	22	5,000	ND	Passed
Hexanes	7	290	ND	Passed
Isopropyl Alcohol	219	5,000	ND	Passed
Methanol	131	3,000	ND	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	66	5,000	ND	Passed
Propane	22	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	5,471	1,500	ND	Passed
Xylenes	289	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	22	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 07/02/2025 16:32

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested	Ochratoxin A	4.7	20.0	ND	Passed
B2	4.7		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.7		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.7		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty

Order No.: ONYJTY0701-0007407
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY0701-CVAP-0016606

Unit Weight: 1.5000g
Batch#: JYPM25182D , Batch Size: 8609
Sample Received: 07/01/2025 15:42
Report Created: 07/08/2025 16:45
Sampling SOP 204-NY

Blue Dream JYPM25182D

Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY

Date/Time Tested: 07/02/2025 10:51

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.187	2.000	ND	Passed
Arsenic	0.187	0.200	ND	Passed
Cadmium	0.187	0.200	ND	Passed
Chromium	0.187	110.000	ND	Passed
Copper	0.225	30.000	ND	Passed
Mercury	0.045	0.100	ND	Passed
Nickel	0.225	2.000	ND	Passed
Lead	0.187	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Jaunty

Order No.: ONYJTY0701-0007407
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY0701-CVAP-0016606

Unit Weight: 1.5000g
Batch#: JYPM25182D , Batch Size: 8609
Report Received: 07/01/2025 15:42
Report Created: 07/08/2025 16:45
Sampling SOP 204-NY

Blue Dream JYPM25182D
Concentrates & Extracts, Vape



Pesticides

SOP 814-NY
Date/Time Tested: 07/02/2025 09:53

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	< LOQ	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty

Order No.: ONYJTY0701-0007407
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY0701-CVAP-0016606

Unit Weight: 1.5000g
Batch#: JYPM25182D , Batch Size: 8609
Report Received: 07/01/2025 15:42
Report Created: 07/08/2025 16:45
Sampling SOP 204-NY

Blue Dream JYPM25182D
Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	< LOQ	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	< LOQ	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	< LOQ	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.