Certificate of Analysis

Compliance | Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0917-0008991
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY0917-CVAP-0019137
Strain: Strawberry Cough, Unit Weight: 1.0000g
Batch#: JYVC-SO-2510, Batch Size: 3472 Units
Date Sampled: 09/17/2025 15:14
Sample Received: 09/17/2025 16:07
Report Created: 09/24/2025 15:51
Sampling SOP 204

Strawberry Cough JYVC-SO-2510
Concentrates & Extracts, Vape

Results

830.70 mg/unit D9-THC	**20.15 mg/unit** CBG
8.33 mg/unit Total CBD	**830.70 mg/unit** Total THC
871.43 mg/unit Total Cannabinoids	**5.619%** Total Terpenes

Tests Summary

Cannabinoids Tested	**Moisture** Not Tested	**Microbials** Pass
Water Activity Not Tested	**Foreign Matter** Not Tested	**Homogeneity** Not Tested
Terpenes Pass	**Residual Solvents** Pass	**Mycotoxins** Pass
Heavy Metals Pass	**Pesticides** Pass	

Dominant Terpenes



ACCREDITED CERT #7425.01

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

Compliance | Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0917-0008991
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY0917-CVAP-0019137
Strain: Strawberry Cough, Unit Weight: 1.0000g
Batch#: JYVC-SO-2510, Batch Size: 3472 Units
Date Sampled: 09/17/2025 15:14
Sample Received: 09/17/2025 16:07
Report Created: 09/24/2025 15:51
Sampling SOP 204

Strawberry Cough JYVC-SO-2510
Concentrates & Extracts, Vape

Cannabinoids

Tested

SOP: SOP 801-NY
Date/Time Tested: 09/18/2025 16:15

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,381.67	ND	ND	ND
CBDa	4,381.67	ND	ND	ND
CBGa	4,381.67	ND	ND	ND
CBG	4,381.67	**2.01**	**20.15**	**20.15**
CBD	4,381.67	**0.83**	**8.33**	**8.33**
THCV	4,381.67	**0.67**	**6.69**	**6.69**
CBN	4,381.67	**0.56**	**5.57**	**5.57**
D9-THC	4,381.67	**83.07**	**830.70**	**830.70**
D8-THC	4,381.67	ND	ND	ND
(6aR,9S)-d10-THC	4,381.67	ND	ND	ND
(6aR,9R)-d10-THC	4,381.67	ND	ND	ND
CBC	4,381.67	< LOQ	< LOQ	< LOQ
THCa	4,381.67	ND	ND	ND
Total CBD		**0.83**	**8.33**	**8.33**
Total THC		**83.07**	**830.70**	**830.70**
Total Cannabinoids		**87.14**	**871.43**	**871.43**

Report notes:
Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THCTotal CBD = CBDa * 0.877 + CBDTotal Cannabinoids= Sum of all cannabinoidsLOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

Pass

SOP: SOP 401-NY SOP 418-NY
Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C Incubator - 1034
Date/Time Tested: 09/20/2025 18:46

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus		0	ND	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger		0	ND	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus		0	ND	Passed

Report notes:
Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

ACCREDITED
CERT #7425.01

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0917-0008991
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY0917-CVAP-0019137
Strain: Strawberry Cough, Unit Weight: 1.0000g
Batch#: JYVC-SO-2510, Batch Size: 3472 Units
Date Sampled: 09/17/2025 15:14
Sample Received: 09/17/2025 16:07
Report Created: 09/24/2025 15:51
Sampling SOP 204

Strawberry Cough JYVC-SO-2510
Concentrates & Extracts, Vape

Terpenes

Pass

SOP: SOP 620-NY
Instrument: Agilent GC-FID 1950 - 1950
Date/Time Tested: 09/21/2025 09:31

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	**5.6187**	Passed	a-Phellandrene	156		ND	Tested
Terpinolene	156		**2.0676**	Tested	d-3-Carene	156		< LOQ	Tested
Limonene	156		**0.7416**	Tested	a-Terpinene	156		< LOQ	Tested
b-Caryophyllene	156		**0.7334**	Tested	p-Cymene	156		< LOQ	Tested
b-Myrcene	156		**0.4541**	Tested	Sabinene Hydrate	156		ND	Tested
a-Pinene	156		**0.3720**	Tested	Fenchone	156		ND	Tested
b-Pinene	156		**0.3600**	Tested	Isopulegol	156		ND	Tested
Linalool	156		**0.2727**	Tested	Camphor	156		ND	Tested
a-Humulene	156		**0.2531**	Tested	Isoborneol	156		ND	Tested
trans-b-Ocimene	156		**0.0738**	Tested	DL-Menthol	156		ND	Tested
g-Terpinene	156		**0.0586**	Tested	Borneol	156		ND	Tested
trans-b-Farnesene	156		**0.0577**	Tested	Nerol	156		ND	Tested
Fenchol	156		**0.0493**	Tested	Pulegone	156		ND	Tested
Caryophyllene Oxide	156		**0.0388**	Tested	Geraniol	156		ND	Tested
a-Bisabolol	156		**0.0326**	Tested	Geranyl Acetate	156		ND	Tested
Terpineol	156		**0.0207**	Tested	a-Cedrene	156		ND	Tested
cis-Nerolidol	156		**0.0166**	Tested	Valencene	156		ND	Tested
Eucalyptol	156		**0.0160**	Tested	trans-Nerolidol	156		< LOQ	Tested
Camphene	156		< LOQ	Tested	Guaiol	156		ND	Tested
Sabinene	156		ND	Tested	Cedrol	156		ND	Tested

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0917-0008991
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY0917-CVAP-0019137
Strain: Strawberry Cough, Unit Weight: 1.0000g
Batch#: JYVC-SO-2510, Batch Size: 3472 Units
Date Sampled: 09/17/2025 15:14
Sample Received: 09/17/2025 16:07
Report Created: 09/24/2025 15:51
Sampling SOP 204

Strawberry Cough JYVC-SO-2510
Concentrates & Extracts, Vape

Residual Solvents

Pass

SOP: SOP 612-NY
Date/Time Tested: 09/18/2025 17:25

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	44	5,000	< LOQ	Passed
Acetonitrile	18	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	44	5,000	< LOQ	Passed
Chloroform	2	60	ND	Passed
Ethanol	219	5,000	< LOQ	Passed
Ethyl Acetate	219	5,000	ND	Passed
Ethyl Ether	22	5,000	< LOQ	Passed
DMSO	110	5,000	ND	Passed
Heptane	22	5,000	< LOQ	Passed
Hexanes	7	290	< LOQ	Passed
Isopropyl Alcohol	219	5,000	ND	Passed
Methanol	131	3,000	ND	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	66	5,000	ND	Passed
Propane	22	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	55	1,500	ND	Passed
Xylenes	289	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	22	1,000	ND	Passed

Report notes:
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0917-0008991
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY0917-CVAP-0019137
Strain: Strawberry Cough, Unit Weight: 1.0000g
Batch#: JYVC-SO-2510, Batch Size: 3472 Units
Date Sampled: 09/17/2025 15:14
Sample Received: 09/17/2025 16:07
Report Created: 09/24/2025 15:51
Sampling SOP 204

Strawberry Cough JYVC-SO-2510
Concentrates & Extracts, Vape

Mycotoxins

Pass

SOP: SOP 808-NY
Instrument: Agilent LCMS 2546 - 2546
Date/Time Tested: 09/18/2025 14:56

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested
B2	4.9		ND	Tested
G1	4.9		ND	Tested
G2	4.9		ND	Tested
Ochratoxin A	4.9	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

Pass

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 09/19/2025 08:56

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.167	2.000	ND	Passed
Arsenic	0.167	0.200	ND	Passed
Cadmium	0.167	0.200	ND	Passed
Chromium	0.167	110.000	ND	Passed
Copper	0.201	30.000	ND	Passed
Mercury	0.040	0.100	ND	Passed
Nickel	0.201	2.000	ND	Passed
Lead	0.167	0.500	ND	Passed

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0917-0008991
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY0917-CVAP-0019137
Strain: Strawberry Cough, Unit Weight: 1.0000g
Batch#: JYVC-SO-2510, Batch Size: 3472 Units
Date Sampled: 09/17/2025 15:14
Sample Received: 09/17/2025 16:07
Report Created: 09/24/2025 15:51
Sampling SOP 204

Strawberry Cough JYVC-SO-2510
Concentrates & Extracts, Vape

Pesticides

Pass

SOP: SOP 814-NY
Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546
Date/Time Tested: 09/18/2025 10:14

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

Compliance | Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0917-0008991
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY0917-CVAP-0019137
Strain: Strawberry Cough, Unit Weight: 1.0000g
Batch#: JYVC-SO-2510, Batch Size: 3472 Units
Date Sampled: 09/17/2025 15:14
Sample Received: 09/17/2025 16:07
Report Created: 09/24/2025 15:51
Sampling SOP 204

Strawberry Cough JYVC-SO-2510

Concentrates & Extracts, Vape

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	< LOQ	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

ACCREDITED CERT #7425.01

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.