Certificate of Analysis

Compliance | Adult Use

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY1114-0010353
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY1114-CVAP-0021121
Strain: Strawberry Cough , Unit Weight: 1.0000g
Batch#: JYVC-SO-2512, Batch Size: 1926 Units
Date Sampled: 11/14/2025 11:44
Sample Received: 11/14/2025 15:31
Report Created: 11/20/2025 17:59
Sampling SOP 204

Strawberry Cough JYVC-SO-2512
Concentrates & Extracts, Vape

Results

897.29 mg/unit D9-THC	**14.13 mg/unit** CBG
0.00 mg/unit Total CBD	**897.29 mg/unit** Total THC
924.31 mg/unit Total Cannabinoids	**6.906%** Total Terpenes

Tests Summary

Cannabinoids Tested	**Moisture** Not Tested	**Microbials** Pass
Water Activity Not Tested	**Foreign Matter** Not Tested	**Homogeneity** Not Tested
Terpenes Pass	**Residual Solvents** Pass	**Mycotoxins** Pass
Heavy Metals Pass	**Pesticides** Pass	

Dominant Terpenes



ACCREDITED CERT #7425.01

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

Compliance | Adult Use

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY1114-0010353
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY1114-CVAP-0021121
Strain: Strawberry Cough , Unit Weight: 1.0000g
Batch#: JYVC-SO-2512, Batch Size: 1926 Units
Date Sampled: 11/14/2025 11:44
Sample Received: 11/14/2025 15:31
Report Created: 11/20/2025 17:59
Sampling SOP 204

Strawberry Cough JYVC-SO-2512
Concentrates & Extracts, Vape

Cannabinoids

Tested

SOP: SOP 801-NY
Date/Time Tested: 11/15/2025 23:31

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,643.50	ND	ND	ND
CBDa	4,643.50	ND	ND	ND
CBGa	4,643.50	ND	ND	ND
CBG	4,643.50	**1.41**	**14.13**	**14.13**
CBD	4,643.50	< LOQ	< LOQ	< LOQ
THCV	4,643.50	**0.75**	**7.49**	**7.49**
CBN	4,643.50	< LOQ	< LOQ	< LOQ
D9-THC	4,643.50	**89.73**	**897.29**	**897.29**
D8-THC	4,643.50	ND	ND	ND
(6aR,9S)-d10-THC	4,643.50	ND	ND	ND
(6aR,9R)-d10-THC	4,643.50	ND	ND	ND
CBC	4,643.50	**0.54**	**5.40**	**5.40**
THCa	4,643.50	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		**89.73**	**897.29**	**897.29**
Total Cannabinoids		**92.43**	**924.31**	**924.31**

Report notes:
Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THCTotal CBD = CBDa * 0.877 + CBDTotal Cannabinoids= Sum of all cannabinoidsLOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

Pass

SOP: SOP 401-NY SOP 418-NY
Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX qPCR - 3195
Date/Time Tested: 11/15/2025 13:54

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus		0	ND	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger		0	ND	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus		0	ND	Passed

Report notes:
Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

ACCREDITED
CERT #7425.01

Angus Alfieri
Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

Compliance | Adult Use

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY1114-0010353
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY1114-CVAP-0021121
Strain: Strawberry Cough , Unit Weight: 1.0000g
Batch#: JYVC-SO-2512, Batch Size: 1926 Units
Date Sampled: 11/14/2025 11:44
Sample Received: 11/14/2025 15:31
Report Created: 11/20/2025 17:59
Sampling SOP 204

Strawberry Cough JYVC-SO-2512
Concentrates & Extracts, Vape

Terpenes

Pass

SOP: SOP 620-NY
Instrument: Agilent GC-FID 1950 - 1950
Date/Time Tested: 11/16/2025 16:18

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	**6.9060**	Passed	Fenchol	160		< LOQ	Tested
Terpinolene	160		**3.2324**	Tested	Sabinene Hydrate	160		ND	Tested
Limonene	160		**0.8786**	Tested	Fenchone	160		ND	Tested
b-Caryophyllene	160		**0.7937**	Tested	Isopulegol	160		ND	Tested
b-Myrcene	160		**0.4514**	Tested	Camphor	160		ND	Tested
b-Pinene	160		**0.4344**	Tested	Isoborneol	160		ND	Tested
a-Pinene	160		**0.3462**	Tested	DL-Menthol	160		ND	Tested
Linalool	160		**0.3045**	Tested	Borneol	160		ND	Tested
a-Humulene	160		**0.2905**	Tested	Terpineol	160		ND	Tested
g-Terpinene	160		**0.0914**	Tested	Nerol	160		ND	Tested
a-Bisabolol	160		**0.0312**	Tested	Pulegone	160		ND	Tested
Guaiol	160		**0.0273**	Tested	Geraniol	160		ND	Tested
Caryophyllene Oxide	160		**0.0244**	Tested	Geranyl Acetate	160		ND	Tested
Camphene	160		ND	Tested	a-Cedrene	160		ND	Tested
Sabinene	160		ND	Tested	Valencene	160		ND	Tested
a-Phellandrene	160		ND	Tested	cis-Nerolidol	160		ND	Tested
d-3-Carene	160		ND	Tested	trans-Nerolidol	160		ND	Tested
a-Terpinene	160		ND	Tested	Cedrol	160		ND	Tested
p-Cymene	160		< LOQ	Tested	trans-b-Ocimene	160		ND	Tested
Eucalyptol	160		ND	Tested	trans-b-Farnesene	160		ND	Tested

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

ACCREDITED CERT #7425.01

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY1114-0010353
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY1114-CVAP-0021121
Strain: Strawberry Cough , Unit Weight: 1.0000g
Batch#: JYVC-SO-2512, Batch Size: 1926 Units
Date Sampled: 11/14/2025 11:44
Sample Received: 11/14/2025 15:31
Report Created: 11/20/2025 17:59
Sampling SOP 204

Strawberry Cough JYVC-SO-2512
Concentrates & Extracts, Vape

Residual Solvents

Pass

SOP: SOP 612-NY
Instrument: Agilent HS-GC-MS 1333 - 1333
Date/Time Tested: 11/16/2025 11:44

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY1114-0010353
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY1114-CVAP-0021121
Strain: Strawberry Cough , Unit Weight: 1.0000g
Batch#: JYVC-SO-2512, Batch Size: 1926 Units
Date Sampled: 11/14/2025 11:44
Sample Received: 11/14/2025 15:31
Report Created: 11/20/2025 17:59
Sampling SOP 204

Strawberry Cough JYVC-SO-2512
Concentrates & Extracts, Vape

Mycotoxins

Pass

SOP: SOP 808-NY
Instrument: Agilent LC-MS-MS 2755 - 2755
Date/Time Tested: 11/15/2025 14:12

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

Pass

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 11/17/2025 11:27

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.172	2.000	ND	Passed
Arsenic	0.172	0.200	ND	Passed
Cadmium	0.172	0.200	ND	Passed
Chromium	0.172	110.000	ND	Passed
Copper	0.206	30.000	ND	Passed
Mercury	0.041	0.100	ND	Passed
Nickel	0.206	2.000	ND	Passed
Lead	0.172	0.500	ND	Passed

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY1114-0010353
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY1114-CVAP-0021121
Strain: Strawberry Cough , Unit Weight: 1.0000g
Batch#: JYVC-SO-2512, Batch Size: 1926 Units
Date Sampled: 11/14/2025 11:44
Sample Received: 11/14/2025 15:31
Report Created: 11/20/2025 17:59
Sampling SOP 204

Strawberry Cough JYVC-SO-2512
Concentrates & Extracts, Vape

Pesticides

Pass

SOP: SOP 814-NY
Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546
Date/Time Tested: 11/15/2025 10:13

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

Compliance | Adult Use

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY1114-0010353
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247

Sample: SNYJTY1114-CVAP-0021121
Strain: Strawberry Cough , Unit Weight: 1.0000g
Batch#: JYVC-SO-2512, Batch Size: 1926 Units
Date Sampled: 11/14/2025 11:44
Sample Received: 11/14/2025 15:31
Report Created: 11/20/2025 17:59
Sampling SOP 204

Strawberry Cough JYVC-SO-2512

Concentrates & Extracts, Vape

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

ACCREDITED CERT #7425.01

Angus Alfieri
Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.