

Jaunty

Order No.: ONYJTY0306-0012565
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0306-CVAP-0024631

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2604, Batch Size: 1090 Units, LOT ID:
 1A4120300000291000001775
 Date Sampled: 03/06/2026 16:55
 Sample Received: 03/06/2026 16:59
 Report Created: 03/12/2026 18:12
 Sampling SOP 204 ♦

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000291000001774, Metrc Sample: 1A4120300000291000001775, Metrc Manifest: 0000128967




Results

823.78 mg/unit D9-THC	35.16 mg/unit CBG
0.00 mg/unit Total CBD	823.78 mg/unit Total THC
880.95 mg/unit Total Cannabinoids	8.036% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Jaunty

Order No.: ONYJTY0306-0012565
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0306-CVAP-0024631

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2604, Batch Size: 1090 Units, LOT ID:
 1A4120300000291000001775
 Date Sampled: 03/06/2026 16:55
 Sample Received: 03/06/2026 16:59
 Report Created: 03/12/2026 18:12
 Sampling SOP 204 ♦

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000291000001774, Metrc Sample: 1A4120300000291000001775, Metrc Manifest: 0000128967



Cannabinoids

SOP: SOP 801-NY
Instrument: Agilent HPLC 2518 - 2518
Date/Time Tested: 03/10/2026 15:59

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,612.19	ND	ND	ND
CBDa	4,612.19	ND	ND	ND
CBGa	4,612.19	ND	ND	ND
CBG	4,612.19	3.52	35.16	35.16
CBD	4,612.19	< LOQ	< LOQ	< LOQ
THCV	4,612.19	0.58	5.83	5.83
CBN	4,612.19	0.52	5.24	5.24
D9-THC	4,612.19	82.38	823.78	823.78
D8-THC	4,612.19	ND	ND	ND
(6aR,9S)-d10-THC	4,612.19	ND	ND	ND
(6aR,9R)-d10-THC	4,612.19	ND	ND	ND
CBC	4,612.19	1.09	10.93	10.93
THCa	4,612.19	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		82.38	823.78	823.78
Total Cannabinoids		88.09	880.95	880.95

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP: SOP 401-NY SOP 418-NY
Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX qPCR - 3195
Date/Time Tested: 03/07/2026 12:53

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	10,000	ND	Passed	Aspergillus Flavus	0	ND	0	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus	0	ND	0	Passed
Yeast & Mold	10	1,000	ND	Passed	Aspergillus Niger	0	ND	0	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus	0	ND	0	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

Jaunty

Order No.: ONYJTY0306-0012565
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0306-CVAP-0024631

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2604, Batch Size: 1090 Units, LOT ID:
 1A4120300000291000001775
 Date Sampled: 03/06/2026 16:55
 Sample Received: 03/06/2026 16:59
 Report Created: 03/12/2026 18:12
 Sampling SOP 204 ♦

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000001774, Metrc Sample: 1A4120300000291000001775, Metrc Manifest: 0000128967



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 03/10/2026 15:07

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	8.0356	Passed	Sabinene	158		< LOQ	Tested
Terpinolene	158		4.1315	Tested	p-Cymene	158		< LOQ	Tested
trans-b-Ocimene	158		1.0011	Tested	Eucalyptol	158		< LOQ	Tested
b-Myrcene	158		0.6378	Tested	Sabinene Hydrate	158		ND	Tested
b-Caryophyllene	158		0.5380	Tested	Fenchone	158		ND	Tested
Limonene	158		0.4200	Tested	Isopulegol	158		ND	Tested
a-Pinene	158		0.2834	Tested	Camphor	158		ND	Tested
b-Pinene	158		0.2313	Tested	Isoborneol	158		ND	Tested
Linalool	158		0.1236	Tested	DL-Menthol	158		ND	Tested
a-Humulene	158		0.1170	Tested	Borneol	158		ND	Tested
a-Phellandrene	158		0.1138	Tested	Nerol	158		ND	Tested
d-3-Carene	158		0.0879	Tested	Pulegone	158		ND	Tested
a-Terpinene	158		0.0859	Tested	Geraniol	158		ND	Tested
g-Terpinene	158		0.0637	Tested	Geranyl Acetate	158		ND	Tested
a-Bisabolol	158		0.0609	Tested	a-Cedrene	158		ND	Tested
trans-b-Farnesene	158		0.0594	Tested	Valencene	158		ND	Tested
Terpineol	158		0.0369	Tested	cis-Nerolidol	158		< LOQ	Tested
Fenchol	158		0.0263	Tested	trans-Nerolidol	158		< LOQ	Tested
Caryophyllene Oxide	158		0.0174	Tested	Guaiol	158		< LOQ	Tested
Camphene	158		< LOQ	Tested	Cedrol	158		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

Jaunty

Order No.: ONYJTY0306-0012565
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0306-CVAP-0024631

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2604, Batch Size: 1090 Units, LOT ID:
 1A4120300000291000001775
 Date Sampled: 03/06/2026 16:55
 Sample Received: 03/06/2026 16:59
 Report Created: 03/12/2026 18:12
 Sampling SOP 204 ♦

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000001774, Metrc Sample: 1A4120300000291000001775, Metrc Manifest: 0000128967



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 03/11/2026 13:14

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	ND	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	< LOQ	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Jaunty

Order No.: ONYJTY0306-0012565
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0306-CVAP-0024631

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2604, Batch Size: 1090 Units, LOT ID:
 1A4120300000291000001775
 Date Sampled: 03/06/2026 16:55
 Sample Received: 03/06/2026 16:59
 Report Created: 03/12/2026 18:12
 Sampling SOP 204 ♦

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000291000001774, Metrc Sample: 1A4120300000291000001775, Metrc Manifest: 0000128967



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 03/08/2026 13:05

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested
B2	4.6		ND	Tested
G1	4.6		ND	Tested
G2	4.6		ND	Tested
Ochratoxin A	4.6	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 03/09/2026 11:47

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.188	2.000	ND	Passed
Arsenic	0.188	0.200	ND	Passed
Cadmium	0.188	0.200	ND	Passed
Chromium	0.188	110.000	< LOQ	Passed
Copper	0.226	30.000	ND	Passed
Mercury	0.045	0.100	ND	Passed
Nickel	0.226	2.000	< LOQ	Passed
Lead	0.188	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Jaunty

Order No.: ONYJTY0306-0012565
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0306-CVAP-0024631

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2604, Batch Size: 1090 Units, LOT ID:
 1A4120300000291000001775
 Date Sampled: 03/06/2026 16:55
 Sample Received: 03/06/2026 16:59
 Report Created: 03/12/2026 18:12
 Sampling SOP 204 ♦

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000001774, Metrc Sample: 1A4120300000291000001775, Metrc Manifest: 0000128967



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 03/07/2026 17:40

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Jaunty

Order No.: ONYJTY0306-0012565
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0306-CVAP-0024631

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2604, Batch Size: 1090 Units, LOT ID:
 1A4120300000291000001775
 Date Sampled: 03/06/2026 16:55
 Sample Received: 03/06/2026 16:59
 Report Created: 03/12/2026 18:12
 Sampling SOP 204 ♦

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000001774, Metrc Sample: 1A4120300000291000001775, Metrc Manifest: 0000128967



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director