

## Jaunty

Order No.: ONYJTY0311-0012648  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0311-CVAP-0024751

Strain: Headband, Unit Weight: 1.0000g  
 Batch#: JYVC-HDBD-2604, Batch Size: 1700 Units, LOT ID:  
 1A4120300000291000003603  
 Date Sampled: 03/11/2026 17:13  
 Sample Received: 03/11/2026 17:19  
 Report Created: 03/20/2026 16:32  
 Sampling SOP 204 ♦

## Vape Cartridge - Distillate - Headband - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000003602, Metrc Sample: 1A4120300000291000003603, Metrc Manifest: 0000134842




## Results

<b>864.25 mg/unit</b> D9-THC	<b>35.25 mg/unit</b> CBG
<b>0.00 mg/unit</b> Total CBD	<b>864.25 mg/unit</b> Total THC
<b>922.10 mg/unit</b> Total Cannabinoids	<b>6.657%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Foreign Matter</b> Not Tested	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Pass	<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass
<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass	

## Dominant Terpenes



*Angus Alfieri*

**Angus Alfieri**  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Jaunty

Order No.: ONYJTY0311-0012648  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0311-CVAP-0024751

Strain: Headband, Unit Weight: 1.0000g  
 Batch#: JYVC-HDBD-2604, Batch Size: 1700 Units, LOT ID:  
 1A4120300000291000003603  
 Date Sampled: 03/11/2026 17:13  
 Sample Received: 03/11/2026 17:19  
 Report Created: 03/20/2026 16:32  
 Sampling SOP 204 ♦

## Vape Cartridge - Distillate - Headband - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000003602, Metrc Sample: 1A4120300000291000003603, Metrc Manifest: 0000134842



## Cannabinoids

SOP: SOP 801-NY

Instrument: Agilent Infinity II - 2779

Date/Time Tested: 03/13/2026 12:04

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,870.61	ND	ND	ND
CBDa	4,870.61	ND	ND	ND
CBGa	4,870.61	ND	ND	ND
CBG	4,870.61	3.53	35.25	35.25
CBD	4,870.61	ND	ND	ND
THCV	4,870.61	0.60	5.97	5.97
CBN	4,870.61	0.56	5.58	5.58
D9-THC	4,870.61	86.43	864.25	864.25
D8-THC	4,870.61	ND	ND	ND
(6aR,9S)-d10-THC	4,870.61	ND	ND	ND
(6aR,9R)-d10-THC	4,870.61	ND	ND	ND
CBC	4,870.61	1.10	11.05	11.05
THCa	4,870.61	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		86.43	864.25	864.25
Total Cannabinoids		92.21	922.10	922.10

### Report notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Total Cannabinoids = Sum of all cannabinoids  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX

qPCR - 3195

Date/Time Tested: 03/12/2026 15:49

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	10,000	ND	Passed	Aspergillus Flavus		0	ND	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus		0	ND	Passed
Yeast & Mold	10	1,000	ND	Passed	Aspergillus Niger		0	ND	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus		0	ND	Passed

### Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



*Angus Alfieri*

Angus Alfieri  
 Technical Director

## Jaunty

Order No.: ONYJTY0311-0012648  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0311-CVAP-0024751

Strain: Headband, Unit Weight: 1.0000g  
 Batch#: JYVC-HDBD-2604, Batch Size: 1700 Units, LOT ID:  
 1A4120300000291000003603  
 Date Sampled: 03/11/2026 17:13  
 Sample Received: 03/11/2026 17:19  
 Report Created: 03/20/2026 16:32  
 Sampling SOP 204 ♦

## Vape Cartridge - Distillate - Headband - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000003602, Metrc Sample: 1A4120300000291000003603, Metrc Manifest: 0000134842



## Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 03/12/2026 19:55

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	<b>6.6574</b>	Passed	d-3-Carene	159		<b>0.0185</b>	Tested
b-Myrcene	159		<b>1.3226</b>	Tested	Sabinene	159		<b>0.0181</b>	Tested
Limonene	159		<b>1.3221</b>	Tested	Valencene	159		<b>0.0178</b>	Tested
b-Caryophyllene	159		<b>1.2899</b>	Tested	a-Terpinene	159		< LOQ	Tested
Terpinolene	159		<b>0.5310</b>	Tested	p-Cymene	159		ND	Tested
Linalool	159		<b>0.3641</b>	Tested	Eucalyptol	159		ND	Tested
b-Pinene	159		<b>0.2766</b>	Tested	g-Terpinene	159		< LOQ	Tested
a-Humulene	159		<b>0.2668</b>	Tested	Sabinene Hydrate	159		ND	Tested
trans-Nerolidol	159		<b>0.2307</b>	Tested	Fenchone	159		ND	Tested
a-Bisabolol	159		<b>0.1830</b>	Tested	Isopulegol	159		ND	Tested
Fenchol	159		<b>0.1509</b>	Tested	Camphor	159		ND	Tested
Terpineol	159		<b>0.1395</b>	Tested	Isoborneol	159		ND	Tested
trans-b-Ocimene	159		<b>0.1328</b>	Tested	DL-Menthol	159		ND	Tested
a-Pinene	159		<b>0.1213</b>	Tested	Nerol	159		ND	Tested
a-Phellandrene	159		<b>0.0671</b>	Tested	Pulegone	159		ND	Tested
Borneol	159		<b>0.0598</b>	Tested	Geraniol	159		ND	Tested
Geranyl Acetate	159		<b>0.0555</b>	Tested	a-Cedrene	159		ND	Tested
Caryophyllene Oxide	159		<b>0.0425</b>	Tested	cis-Nerolidol	159		< LOQ	Tested
trans-b-Farnesene	159		<b>0.0262</b>	Tested	Guaial	159		ND	Tested
Camphene	159		<b>0.0206</b>	Tested	Cedrol	159		ND	Tested

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



*Angus Alfieri*  
**Angus Alfieri**  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Jaunty

Order No.: ONYJTY0311-0012648  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0311-CVAP-0024751

Strain: Headband, Unit Weight: 1.0000g  
 Batch#: JYVC-HDBD-2604, Batch Size: 1700 Units, LOT ID:  
 1A4120300000291000003603  
 Date Sampled: 03/11/2026 17:13  
 Sample Received: 03/11/2026 17:19  
 Report Created: 03/20/2026 16:32  
 Sampling SOP 204 ♦

## Vape Cartridge - Distillate - Headband - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000003602, Metrc Sample: 1A4120300000291000003603, Metrc Manifest: 0000134842



## Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 03/12/2026 17:17

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	ND	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	< LOQ	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

### Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## Jaunty

Order No.: ONYJTY0311-0012648  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0311-CVAP-0024751

Strain: Headband, Unit Weight: 1.0000g  
 Batch#: JYVC-HDBD-2604, Batch Size: 1700 Units, LOT ID:  
 1A4120300000291000003603  
 Date Sampled: 03/11/2026 17:13  
 Sample Received: 03/11/2026 17:19  
 Report Created: 03/20/2026 16:32  
 Sampling SOP 204 ♦

## Vape Cartridge - Distillate - Headband - 1.0g

Concentrates & Extracts, Vape  
 Metrc Batch: 1A4120300000291000003602, Metrc Sample: 1A4120300000291000003603, Metrc Manifest: 0000134842



## Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 03/12/2026 20:05

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 03/15/2026 14:54

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.176	2.000	ND	Passed
Arsenic	0.176	0.200	ND	Passed
Cadmium	0.176	0.200	ND	Passed
Chromium	0.176	110.000	ND	Passed
Copper	0.211	30.000	ND	Passed
Mercury	0.042	0.100	ND	Passed
Nickel	0.211	2.000	ND	Passed
Lead	0.176	0.500	ND	Passed

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Jaunty

Order No.: ONYJTY0311-0012648  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0311-CVAP-0024751

Strain: Headband, Unit Weight: 1.0000g  
 Batch#: JYVC-HDBD-2604, Batch Size: 1700 Units, LOT ID:  
 1A412030000291000003603  
 Date Sampled: 03/11/2026 17:13  
 Sample Received: 03/11/2026 17:19  
 Report Created: 03/20/2026 16:32  
 Sampling SOP 204 ♦

## Vape Cartridge - Distillate - Headband - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A412030000291000003602, Metrc Sample: 1A412030000291000003603, Metrc Manifest: 0000134842



## Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 03/13/2026 12:27

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed



*Angus Alfieri*

**Angus Alfieri**  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Jaunty

Order No.: ONYJTY0311-0012648  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0311-CVAP-0024751

Strain: Headband, Unit Weight: 1.0000g  
 Batch#: JYVC-HDBD-2604, Batch Size: 1700 Units, LOT ID:  
 1A4120300000291000003603  
 Date Sampled: 03/11/2026 17:13  
 Sample Received: 03/11/2026 17:19  
 Report Created: 03/20/2026 16:32  
 Sampling SOP 204 ♦

## Vape Cartridge - Distillate - Headband - 1.0g

Concentrates & Extracts, Vape


Metrc Batch: 1A4120300000291000003602, Metrc Sample: 1A4120300000291000003603, Metrc Manifest: 0000134842



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

**Angus Alfieri**  
 Technical Director