

## Jaunty

Order No.: ONYJTY0408-0013241  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0408-CVAP-0025815

Strain: Amnesia Haze, Unit Weight: 1.0000g  
 Batch#: JYVC-AMHZ-2605, Batch Size: 3745 Units, LOT ID:  
 1A4120300000291000003784  
 Date Sampled: 04/08/2026 15:56  
 Sample Received: 04/08/2026 16:33  
 Report Created: 04/15/2026 14:32  
 Sampling SOP 204\*

## Vape Cartridge - Distillate - Amnesia Haze - 1.0g

Concentrates & Extracts, Vape  
 Metrc Batch: 1A4120300000291000003783, Metrc Sample: 1A4120300000291000003784, Metrc Manifest: 0000175144




## Results

<b>838.13 mg/unit</b> D9-THC	<b>22.38 mg/unit</b> CBG
<b>ND</b> Total CBD	<b>838.13 mg/unit</b> Total THC
<b>886.08 mg/unit</b> Total Cannabinoids	<b>6.963%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Foreign Matter</b> Not Tested	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Pass	<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass
<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass	

## Dominant Terpenes



*Angus Alfieri*

**Angus Alfieri**  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Jaunty

Order No.: ONYJTY0408-0013241  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0408-CVAP-0025815

Strain: Amnesia Haze, Unit Weight: 1.0000g  
 Batch#: JYVC-AMHZ-2605, Batch Size: 3745 Units, LOT ID:  
 1A4120300000291000003784  
 Date Sampled: 04/08/2026 15:56  
 Sample Received: 04/08/2026 16:33  
 Report Created: 04/15/2026 14:32  
 Sampling SOP 204\*

## Vape Cartridge - Distillate - Amnesia Haze - 1.0g

Concentrates & Extracts, Vape  
 Metrc Batch: 1A4120300000291000003783, Metrc Sample: 1A4120300000291000003784, Metrc Manifest: 0000175144



## Cannabinoids

SOP: SOP 801-NY  
 Date/Time Tested: 04/13/2026 16:09

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,076.91	ND	ND	ND
CBDa	4,076.91	ND	ND	ND
CBGa	4,076.91	ND	ND	ND
CBG	4,076.91	2.24	22.38	22.38
CBD	4,076.91	< LOQ	< LOQ	< LOQ
THCV	4,076.91	1.17	11.68	11.68
CBN	4,076.91	0.58	5.83	5.83
D9-THC	4,076.91	83.81	838.13	838.13
D8-THC	4,076.91	ND	ND	ND
(6aR,9S)-d10-THC	4,076.91	ND	ND	ND
(6aR,9R)-d10-THC	4,076.91	ND	ND	ND
CBC	4,076.91	0.81	8.06	8.06
THCa	4,076.91	ND	ND	ND
Total CBD		ND	ND	ND
Total THC		83.81	838.13	838.13
Total Cannabinoids		88.61	886.08	886.08

### Report notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Total Cannabinoids = Sum of all cannabinoids  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.  
 Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Microbials

SOP: SOP 401-NY SOP 418-NY  
 Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C  
 Incubator - 1034  
 Date/Time Tested: 04/10/2026 15:32

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status		
Aerobic Bacteria	10	10,000	ND	Passed	Aspergillus Flavus			0	ND	Passed	
E. Coli			0	ND	Passed	Aspergillus Fumigatus			0	ND	Passed
Yeast & Mold	10	1,000	ND	Passed	Aspergillus Niger			0	ND	Passed	
Salmonella			0	ND	Passed	Aspergillus Terreus			0	ND	Passed

### Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



*Angus Alfieri*

Angus Alfieri  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Jaunty

Order No.: ONYJTY0408-0013241  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0408-CVAP-0025815

Strain: Amnesia Haze, Unit Weight: 1.0000g  
 Batch#: JYVC-AMHZ-2605, Batch Size: 3745 Units, LOT ID:  
 1A4120300000291000003784  
 Date Sampled: 04/08/2026 15:56  
 Sample Received: 04/08/2026 16:33  
 Report Created: 04/15/2026 14:32  
 Sampling SOP 204\*

## Vape Cartridge - Distillate - Amnesia Haze - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000003783, Metrc Sample: 1A4120300000291000003784, Metrc Manifest: 0000175144



## Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 04/12/2026 15:45

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	<b>6.9628</b>	Passed	g-Terpinene	164		< LOQ	Tested
Limonene	164		<b>1.7946</b>	Tested	Fenchol	164		ND	Tested
b-Caryophyllene	164		<b>1.5723</b>	Tested	Sabinene Hydrate	164		ND	Tested
b-Myrcene	164		<b>0.9080</b>	Tested	Fenchone	164		ND	Tested
a-Humulene	164		<b>0.4643</b>	Tested	Isopulegol	164		ND	Tested
Linalool	164		<b>0.4025</b>	Tested	Camphor	164		ND	Tested
Terpinolene	164		<b>0.3812</b>	Tested	Isoborneol	164		ND	Tested
b-Pinene	164		<b>0.3699</b>	Tested	DL-Menthol	164		ND	Tested
a-Pinene	164		<b>0.3674</b>	Tested	Borneol	164		ND	Tested
a-Bisabolol	164		<b>0.2659</b>	Tested	Terpineol	164		ND	Tested
trans-b-Ocimene	164		<b>0.1596</b>	Tested	Nerol	164		ND	Tested
Caryophyllene Oxide	164		<b>0.1118</b>	Tested	Pulegone	164		ND	Tested
Camphene	164		<b>0.0628</b>	Tested	Geraniol	164		ND	Tested
trans-b-Farnesene	164		<b>0.0520</b>	Tested	Geranyl Acetate	164		ND	Tested
Eucalyptol	164		<b>0.0505</b>	Tested	a-Cedrene	164		ND	Tested
Sabinene	164		ND	Tested	Valencene	164		ND	Tested
a-Phellandrene	164		ND	Tested	cis-Nerolidol	164		ND	Tested
d-3-Carene	164		< LOQ	Tested	trans-Nerolidol	164		ND	Tested
a-Terpinene	164		< LOQ	Tested	Guaiol	164		ND	Tested
p-Cymene	164		< LOQ	Tested	Cedrol	164		ND	Tested

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



*Angus Alfieri*

**Angus Alfieri**  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Jaunty

Order No.: ONYJTY0408-0013241  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0408-CVAP-0025815

Strain: Amnesia Haze, Unit Weight: 1.0000g  
 Batch#: JYVC-AMHZ-2605, Batch Size: 3745 Units, LOT ID:  
 1A4120300000291000003784  
 Date Sampled: 04/08/2026 15:56  
 Sample Received: 04/08/2026 16:33  
 Report Created: 04/15/2026 14:32  
 Sampling SOP 204\*

## Vape Cartridge - Distillate - Amnesia Haze - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000003783, Metrc Sample: 1A4120300000291000003784, Metrc Manifest: 0000175144



## Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 1333 - 1333

Date/Time Tested: 04/12/2026 11:31

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	ND	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

### Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## Jaunty

Order No.: ONYJTY0408-0013241  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0408-CVAP-0025815

Strain: Amnesia Haze, Unit Weight: 1.0000g  
 Batch#: JYVC-AMHZ-2605, Batch Size: 3745 Units, LOT ID:  
 1A4120300000291000003784  
 Date Sampled: 04/08/2026 15:56  
 Sample Received: 04/08/2026 16:33  
 Report Created: 04/15/2026 14:32  
 Sampling SOP 204\*

## Vape Cartridge - Distillate - Amnesia Haze - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000003783, Metrc Sample: 1A4120300000291000003784, Metrc Manifest: 0000175144



## Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 04/10/2026 18:47

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested
B2	4.9		ND	Tested
G1	4.9		ND	Tested
G2	4.9		ND	Tested
Ochratoxin A	4.9	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 04/13/2026 11:52

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.175	2.000	ND	Passed
Arsenic	0.175	0.200	ND	Passed
Cadmium	0.175	0.200	ND	Passed
Chromium	0.175	110.000	ND	Passed
Copper	0.210	30.000	ND	Passed
Mercury	0.042	0.100	ND	Passed
Nickel	0.210	2.000	<b>0.324</b>	Passed
Lead	0.175	0.500	ND	Passed

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



*Angus Alfieri*

**Angus Alfieri**  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Jaunty

Order No.: ONYJTY0408-0013241  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0408-CVAP-0025815

Strain: Amnesia Haze, Unit Weight: 1.0000g  
 Batch#: JYVC-AMHZ-2605, Batch Size: 3745 Units, LOT ID:  
 1A4120300000291000003784  
 Date Sampled: 04/08/2026 15:56  
 Sample Received: 04/08/2026 16:33  
 Report Created: 04/15/2026 14:32  
 Sampling SOP 204\*

## Vape Cartridge - Distillate - Amnesia Haze - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000003783, Metrc Sample: 1A4120300000291000003784, Metrc Manifest: 0000175144




## Pesticides

SOP: SOP 814-NY

Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541

Date/Time Tested: 04/10/2026 18:35



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



*Angus Alfieri*

**Angus Alfieri**  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Jaunty

Order No.: ONYJTY0408-0013241  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0408-CVAP-0025815

Strain: Amnesia Haze, Unit Weight: 1.0000g  
 Batch#: JYVC-AMHZ-2605, Batch Size: 3745 Units, LOT ID:  
 1A4120300000291000003784  
 Date Sampled: 04/08/2026 15:56  
 Sample Received: 04/08/2026 16:33  
 Report Created: 04/15/2026 14:32  
 Sampling SOP 204\*

## Vape Cartridge - Distillate - Amnesia Haze - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000003783, Metrc Sample: 1A4120300000291000003784, Metrc Manifest: 0000175144



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.10	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




**Angus Alfieri**  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.