

Jaunty

Order No.: ONYJTY0415-0013395
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0415-CVAP-0025973

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2605, Batch Size: 1070 Units, LOT ID:
 1A4120300000291000003917
 Date Sampled: 04/15/2026 15:55
 Sample Received: 04/15/2026 16:28
 Report Created: 04/21/2026 17:48
 Sampling SOP 204*

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000003916, Metrc Sample: 1A4120300000291000003917, Metrc Manifest: 0000187168




Results

815.71 mg/unit D9-THC	38.47 mg/unit CBG
ND Total CBD	815.71 mg/unit Total THC
867.36 mg/unit Total Cannabinoids	5.848% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Angus Alfieri

Angus Alfieri
 Technical Director

◆ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Jaunty

Order No.: ONYJTY0415-0013395
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0415-CVAP-0025973

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2605, Batch Size: 1070 Units, LOT ID:
 1A4120300000291000003917
 Date Sampled: 04/15/2026 15:55
 Sample Received: 04/15/2026 16:28
 Report Created: 04/21/2026 17:48
 Sampling SOP 204*

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000291000003916, Metrc Sample: 1A4120300000291000003917, Metrc Manifest: 0000187168



Cannabinoids

SOP: SOP 801-NY
Instrument: Agilent HPLC 2518 - 2518
Date/Time Tested: 04/18/2026 15:12

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,775.37	ND	ND	ND
CBDa	4,775.37	ND	ND	ND
CBGa	4,775.37	ND	ND	ND
CBG	4,775.37	3.85	38.47	38.47
CBD	4,775.37	< LOQ	< LOQ	< LOQ
THCV	4,775.37	< LOQ	< LOQ	< LOQ
CBN	4,775.37	0.81	8.07	8.07
D9-THC	4,775.37	81.57	815.71	815.71
D8-THC	4,775.37	ND	ND	ND
(6aR,9S)-d10-THC	11,460.89	ND	ND	ND
(6aR,9R)-d10-THC	11,460.89	ND	ND	ND
CBC	4,775.37	0.51	5.11	5.11
THCa	4,775.37	ND	ND	ND
Total CBD		ND	ND	ND
Total THC		81.57	815.71	815.71
Total Cannabinoids		86.74	867.36	867.36

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP: SOP 401-NY SOP 418-NY
Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX
 qPCR - 3195
Date/Time Tested: 04/16/2026 15:12

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	10,000	ND	Passed	Aspergillus Flavus	0	ND	0	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus	0	ND	0	Passed
Yeast & Mold	10	1,000	ND	Passed	Aspergillus Niger	0	ND	0	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus	0	ND	0	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Angus Alfieri
Angus Alfieri
 Technical Director

Jaunty

Order No.: ONYJTY0415-0013395
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0415-CVAP-0025973

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2605, Batch Size: 1070 Units, LOT ID:
 1A4120300000291000003917
 Date Sampled: 04/15/2026 15:55
 Sample Received: 04/15/2026 16:28
 Report Created: 04/21/2026 17:48
 Sampling SOP 204*

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000291000003916, Metrc Sample: 1A4120300000291000003917, Metrc Manifest: 0000187168



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 04/17/2026 10:25

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	5.8476	Passed	Linalool	157		ND	Tested
Terpinolene	157		1.4202	Tested	Isopulegol	157		ND	Tested
b-Pinene	157		1.3481	Tested	Camphor	157		ND	Tested
b-Caryophyllene	157		1.1166	Tested	Isoborneol	157		ND	Tested
Limonene	157		1.0583	Tested	DL-Menthol	157		ND	Tested
b-Myrcene	157		0.3959	Tested	Borneol	157		ND	Tested
a-Pinene	157		0.3121	Tested	Terpineol	157		ND	Tested
a-Humulene	157		0.0556	Tested	Nerol	157		ND	Tested
g-Terpinene	157		0.0451	Tested	Pulegone	157		ND	Tested
Caryophyllene Oxide	157		0.0339	Tested	Geraniol	157		ND	Tested
Sabinene	157		0.0244	Tested	Geranyl Acetate	157		ND	Tested
d-3-Carene	157		0.0213	Tested	a-Cedrene	157		ND	Tested
Fenchone	157		0.0160	Tested	Valencene	157		ND	Tested
Camphene	157		ND	Tested	cis-Nerolidol	157		ND	Tested
a-Phellandrene	157		ND	Tested	trans-Nerolidol	157		ND	Tested
a-Terpinene	157		ND	Tested	Guaiol	157		ND	Tested
p-Cymene	157		< LOQ	Tested	Cedrol	157		ND	Tested
Eucalyptol	157		ND	Tested	a-Bisabolol	157		ND	Tested
Fenchol	157		ND	Tested	trans-b-Ocimene	157		ND	Tested
Sabinene Hydrate	157		ND	Tested	trans-b-Farnesene	157		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Angus Alfieri

Angus Alfieri
 Technical Director

Jaunty

Order No.: ONYJTY0415-0013395
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0415-CVAP-0025973

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2605, Batch Size: 1070 Units, LOT ID:
 1A4120300000291000003917
 Date Sampled: 04/15/2026 15:55
 Sample Received: 04/15/2026 16:28
 Report Created: 04/21/2026 17:48
 Sampling SOP 204*

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000291000003916, Metrc Sample: 1A4120300000291000003917, Metrc Manifest: 0000187168



Residual Solvents

SOP: SOP 612-NY
Instrument: Agilent HS-GC-MS 1333 - 1333
Date/Time Tested: 04/17/2026 14:30

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	ND	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.



Angus Alfieri
Angus Alfieri
 Technical Director

◆ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Jaunty

Order No.: ONYJTY0415-0013395
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0415-CVAP-0025973

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2605, Batch Size: 1070 Units, LOT ID:
 1A4120300000291000003917
 Date Sampled: 04/15/2026 15:55
 Sample Received: 04/15/2026 16:28
 Report Created: 04/21/2026 17:48
 Sampling SOP 204*

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000291000003916, Metrc Sample: 1A4120300000291000003917, Metrc Manifest: 0000187168



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 04/17/2026 16:07

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested
B2	4.9		ND	Tested
G1	4.9		ND	Tested
G2	4.9		ND	Tested
Ochratoxin A	4.9	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 04/17/2026 11:17

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.174	2.000	ND	Passed
Arsenic	0.174	0.200	ND	Passed
Cadmium	0.174	0.200	ND	Passed
Chromium	0.174	110.000	< LOQ	Passed
Copper	0.208	30.000	ND	Passed
Mercury	0.042	0.100	ND	Passed
Nickel	0.208	2.000	< LOQ	Passed
Lead	0.174	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Angus Alfieri

Angus Alfieri
 Technical Director

Jaunty

Order No.: ONYJTY0415-0013395
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0415-CVAP-0025973

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2605, Batch Size: 1070 Units, LOT ID:
 1A412030000291000003917
 Date Sampled: 04/15/2026 15:55
 Sample Received: 04/15/2026 16:28
 Report Created: 04/21/2026 17:48
 Sampling SOP 204*

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A412030000291000003916, Metrc Sample: 1A412030000291000003917, Metrc Manifest: 0000187168



Pesticides

SOP: SOP 814-NY

Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541

Date/Time Tested: 04/17/2026 10:47

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



Angus Alfieri
Angus Alfieri
 Technical Director

◆ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Jaunty

Order No.: ONYJTY0415-0013395
 4883 State Route 67
 New York, 12090
 dennis.t@naturae.com
 5189377247
 OCM-PROC-24-000091-P1

Sample: SNYJTY0415-CVAP-0025973

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: JYVC-DBPS-2605, Batch Size: 1070 Units, LOT ID:
 1A4120300000291000003917
 Date Sampled: 04/15/2026 15:55
 Sample Received: 04/15/2026 16:28
 Report Created: 04/21/2026 17:48
 Sampling SOP 204*

Vape Cartridge - Distillate - Durban Poison - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000003916, Metrc Sample: 1A4120300000291000003917, Metrc Manifest: 0000187168



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.10	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Angus Alfieri

Angus Alfieri
 Technical Director