Certificate of Analysis

Compliance | Adult Use

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0923-0017162
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247
OCM-PROC-24-000091-P1

Sample: SNYJTY0923-CVAP-0031170
Strain: SOUR DIESEL, Unit Weight: 1.0000g
Batch#: JYVC-SDSL-2610, Batch Size: 635 Units, LOT ID: 1A4120300000291000004043
Date Sampled: 09/23/2026 16:27
Sample Received: 09/23/2026 16:55
Report Created: 09/28/2026 21:13
Sampling SOP 204*

Vape Cartridge - Distillate - Sour Diesel - 1.0g

Concentrates & Extracts, Vape
Metrc Batch: 1A4120300000291000004042, Metrc Sample: 1A4120300000291000004043, Metrc Manifest: 0000414498

Results

857.86 mg/unit D9-THC	**16.19 mg/unit** CBG
ND Total CBD	**857.86 mg/unit** Total THC
883.61 mg/unit Total Cannabinoids	**6.949%** Total Terpenes

Tests Summary

Cannabinoids Tested	**Moisture** Not Tested	**Microbials** Pass
Foreign Matter Not Tested	**Water Activity** Not Tested	**Homogeneity** Not Tested
Terpenes Pass	**Residual Solvents** Pass	**Mycotoxins** Pass
Heavy Metals Pass	**Pesticides** Pass	

Dominant Terpenes



ACCREDITED CERT #7425.01

Kimberly Krisolofsky
Lead Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0923-0017162
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247
OCM-PROC-24-000091-P1

Sample: SNYJTY0923-CVAP-0031170
Strain: SOUR DIESEL, Unit Weight: 1.0000g
Batch#: JYVC-SDSL-2610, Batch Size: 635 Units, LOT ID: 1A4120300000291000004043
Date Sampled: 09/23/2026 16:27
Sample Received: 09/23/2026 16:55
Report Created: 09/28/2026 21:13
Sampling SOP 204*

Vape Cartridge - Distillate - Sour Diesel - 1.0g

Concentrates & Extracts, Vape
Metrc Batch: 1A4120300000291000004042, Metrc Sample: 1A4120300000291000004043, Metrc Manifest: 0000414498

Cannabinoids

Tested

SOP: SOP 801-NY
Instrument: Agilent Infinity II - 2779
Date/Time Tested: 09/25/2026 11:42

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,508.79	ND	ND	ND
CBDa	4,508.79	ND	ND	ND
CBGa	4,508.79	ND	ND	ND
CBG	4,508.79	**1.619**	**16.19**	**16.19**
CBD	4,508.79	ND	ND	ND
THCV	4,508.79	< LOQ	< LOQ	< LOQ
CBN	4,508.79	< LOQ	< LOQ	< LOQ
D8-THC	4,508.79	ND	ND	ND
D9-THC	4,508.79	**85.786**	**857.86**	**857.86**
CBC	4,508.79	**0.956**	**9.56**	**9.56**
THCa	4,508.79	ND	ND	ND
Total D10-THC		ND	ND	ND
Total CBD		ND	ND	ND
Total THC		**85.786**	**857.86**	**857.86**
Total Cannabinoids		**88.361**	**883.61**	**883.61**

Report notes:
Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + Δ10-THC Total Δ10-THC = (6aR,9S)-d10-THC + (6aR,9R)-d10-THC Total CBD = CBDa * 0.877 + CBD Total Cannabinoids = Sum of all cannabinoids LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

Pass

SOP: SOP 401-NY SOP 418-NY
Instrument: 35C Incubator - 1032 / 28C Incubator - 1034
Date/Time Tested: 09/24/2026 17:49

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	10	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:
Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

ACCREDITED CERT #7425.01

Kimberly Krisolofsky
Lead Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

Compliance | Adult Use

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0923-0017162
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247
OCM-PROC-24-000091-P1

Sample: SNYJTY0923-CVAP-0031170
Strain: SOUR DIESEL, Unit Weight: 1.0000g
Batch#: JYVC-SDSL-2610, Batch Size: 635 Units, LOT ID: 1A4120300000291000004043
Date Sampled: 09/23/2026 16:27
Sample Received: 09/23/2026 16:55
Report Created: 09/28/2026 21:13
Sampling SOP 204*

Vape Cartridge - Distillate - Sour Diesel - 1.0g

Concentrates & Extracts, Vape
Metrc Batch: 1A4120300000291000004042, Metrc Sample: 1A4120300000291000004043, Metrc Manifest: 0000414498

Terpenes

Pass

SOP: SOP 620-NY
Instrument: Agilent GC-FID 1950 - 1950
Date/Time Tested: 09/26/2026 18:12

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	**6.9486**	Passed	Sabinene	164		ND	Tested
Terpinolene	164		**1.4988**	Tested	a-Phellandrene	164		ND	Tested
b-Myrcene	164		**1.2956**	Tested	d-3-Carene	164		< LOQ	Tested
Limonene	164		**0.9174**	Tested	Eucalyptol	164		< LOQ	Tested
a-Terpinene	164		**0.8960**	Tested	g-Terpinene	164		< LOQ	Tested
b-Caryophyllene	164		**0.8710**	Tested	Sabinene Hydrate	164		ND	Tested
a-Pinene	164		**0.2868**	Tested	Fenchone	164		ND	Tested
a-Humulene	164		**0.2400**	Tested	Isopulegol	164		ND	Tested
b-Pinene	164		**0.1659**	Tested	Camphor	164		ND	Tested
a-Bisabolol	164		**0.1447**	Tested	Isoborneol	164		ND	Tested
Linalool	164		**0.1364**	Tested	DL-Menthol	164		ND	Tested
trans-b-Ocimene	164		**0.1189**	Tested	Borneol	164		< LOQ	Tested
trans-Nerolidol	164		**0.0875**	Tested	Nerol	164		ND	Tested
Geraniol	164		**0.0809**	Tested	Pulegone	164		ND	Tested
Fenchol	164		**0.0548**	Tested	Geranyl Acetate	164		ND	Tested
Terpineol	164		**0.0469**	Tested	a-Cedrene	164		ND	Tested
trans-b-Farnesene	254		**0.0359**	Tested	Valencene	164		ND	Tested
p-Cymene	164		**0.0316**	Tested	cis-Nerolidol	164		< LOQ	Tested
Caryophyllene Oxide	164		**0.0215**	Tested	Guaiol	164		ND	Tested
Camphene	164		**0.0182**	Tested	Cedrol	164		ND	Tested

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

ACCREDITED CERT #7425.01

Kimberly Krisolofsky
Lead Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0923-0017162
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247
OCM-PROC-24-000091-P1

Sample: SNYJTY0923-CVAP-0031170
Strain: SOUR DIESEL, Unit Weight: 1.0000g
Batch#: JYVC-SDSL-2610, Batch Size: 635 Units, LOT ID: 1A4120300000291000004043
Date Sampled: 09/23/2026 16:27
Sample Received: 09/23/2026 16:55
Report Created: 09/28/2026 21:13
Sampling SOP 204*

Vape Cartridge - Distillate - Sour Diesel - 1.0g

Concentrates & Extracts, Vape
Metrc Batch: 1A4120300000291000004042, Metrc Sample: 1A4120300000291000004043, Metrc Manifest: 0000414498

Residual Solvents

Pass

SOP: SOP 612-NY
Instrument: Agilent HS-GC-MS 1333 - 1333
Date/Time Tested: 09/24/2026 16:14

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	ND	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	< LOQ	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Kimberly Krisolofsky
Lead Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0923-0017162
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247
OCM-PROC-24-000091-P1

Sample: SNYJTY0923-CVAP-0031170
Strain: SOUR DIESEL, Unit Weight: 1.0000g
Batch#: JYVC-SDSL-2610, Batch Size: 635 Units, LOT ID: 1A4120300000291000004043
Date Sampled: 09/23/2026 16:27
Sample Received: 09/23/2026 16:55
Report Created: 09/28/2026 21:13
Sampling SOP 204*

Vape Cartridge - Distillate - Sour Diesel - 1.0g

Concentrates & Extracts, Vape
Metrc Batch: 1A4120300000291000004042, Metrc Sample: 1A4120300000291000004043, Metrc Manifest: 0000414498

Mycotoxins

Pass

SOP: SOP 808-NY
Instrument: Agilent LCMS 2546 - 2546
Date/Time Tested: 09/24/2026 18:35

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested
B2	4.6		ND	Tested
G1	4.6		ND	Tested
G2	4.6		ND	Tested
Ochratoxin A	4.6	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

Pass

SOP: SOP 914
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 09/25/2026 11:19

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	1.000	2.000	ND	Passed
Arsenic	0.100	0.200	ND	Passed
Cadmium	0.100	0.200	ND	Passed
Chromium	55.000	110.000	< LOQ	Passed
Copper	15.000	30.000	ND	Passed
Mercury	0.050	0.100	ND	Passed
Nickel	1.000	2.000	ND	Passed
Lead	0.250	0.500	ND	Passed

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Kimberly Krisolofsky
Lead Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0923-0017162
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247
OCM-PROC-24-000091-P1

Sample: SNYJTY0923-CVAP-0031170
Strain: SOUR DIESEL, Unit Weight: 1.0000g
Batch#: JYVC-SDSL-2610, Batch Size: 635 Units, LOT ID: 1A4120300000291000004043
Date Sampled: 09/23/2026 16:27
Sample Received: 09/23/2026 16:55
Report Created: 09/28/2026 21:13
Sampling SOP 204*

Vape Cartridge - Distillate - Sour Diesel - 1.0g

Concentrates & Extracts, Vape
Metrc Batch: 1A4120300000291000004042, Metrc Sample: 1A4120300000291000004043, Metrc Manifest: 0000414498

Pesticides

Pass

SOP: SOP 814-NY
Instrument: Agilent LC-MS-MS 2755 - 2755 / Agilent GCMS 2541 - 2541
Date/Time Tested: 09/24/2026 10:45

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.360	0.500	ND	Passed
Acephate	0.092	0.400	ND	Passed
Acequinocyl	0.092	2.000	ND	Passed
Acetamiprid	0.092	0.200	ND	Passed
Aldicarb	0.092	0.400	ND	Passed
Azoxystrobin	0.092	0.200	ND	Passed
Bifenazate	0.092	0.200	ND	Passed
Bifenthrin	0.092	0.200	ND	Passed
Boscalid	0.092	0.400	ND	Passed
Carbaryl	0.092	0.200	ND	Passed
Carbofuran	0.092	0.200	ND	Passed
Chlorantraniliprole	0.092	0.200	ND	Passed
Chlorpyrifos	0.092	0.200	ND	Passed
Clofentezine	0.092	0.200	ND	Passed
Coumaphos	0.092	1.000	ND	Passed
Cyfluthrin	0.462	1.000	ND	Passed
Cypermethrin	0.092	1.000	ND	Passed
Daminozide	0.092	1.000	ND	Passed
Diazinon	0.092	0.200	ND	Passed
Dichlorvos	0.092	1.000	ND	Passed
Dimethoate	0.092	0.200	ND	Passed
Dimethomorph	0.092	1.000	ND	Passed
Ethoprophos	0.092	0.200	ND	Passed
Etofenprox	0.092	0.400	ND	Passed
Etoxazole	0.092	0.200	ND	Passed
Fenhexamid	0.092	1.000	ND	Passed
Fenoxycarb	0.092	0.200	ND	Passed
Fenpyroximate	0.092	0.400	ND	Passed
Fipronil	0.092	0.400	ND	Passed
Flonicamid	0.092	1.000	ND	Passed
Fludioxonil	0.092	0.400	ND	Passed
Hexythiazox	0.092	1.000	ND	Passed
Imazalil	0.092	0.200	ND	Passed
Imidacloprid	0.092	0.400	ND	Passed
Indole-3 Butyric Acid	0.116	1.000	ND	Passed
Kresoxim Methyl	0.092	0.400	ND	Passed
Malathion	0.092	0.200	ND	Passed
Mevinphos	0.092	1.000	ND	Passed
Metalaxyl	0.092	0.200	ND	Passed
Methiocarb	0.092	0.200	ND	Passed

Kimberly Krisolofsky
Kimberly Krisolofsky
Lead Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Jaunty
Order No.: ONYJTY0923-0017162
4883 State Route 67
New York, 12090
dennis.t@naturae.com
5189377247
OCM-PROC-24-000091-P1

Sample: SNYJTY0923-CVAP-0031170
Strain: SOUR DIESEL, Unit Weight: 1.0000g
Batch#: JYVC-SDSL-2610, Batch Size: 635 Units, LOT ID: 1A4120300000291000004043
Date Sampled: 09/23/2026 16:27
Sample Received: 09/23/2026 16:55
Report Created: 09/28/2026 21:13
Sampling SOP 204*

Vape Cartridge - Distillate - Sour Diesel - 1.0g

Concentrates & Extracts, Vape
Metrc Batch: 1A4120300000291000004042, Metrc Sample: 1A4120300000291000004043, Metrc Manifest: 0000414498

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.092	0.400	ND	Passed
MGK-264	0.092	0.200	ND	Passed
Myclobutanil	0.092	0.200	ND	Passed
Naled	0.092	0.500	ND	Passed
Oxamyl	0.092	1.000	ND	Passed
Paclobutrazol	0.092	0.400	ND	Passed
Permethrin	0.092	0.200	ND	Passed
Phosmet	0.092	0.200	ND	Passed
Piperonyl Butoxide	0.092	2.000	ND	Passed
Prallethrin	0.092	0.200	ND	Passed
Propiconazole	0.092	0.400	ND	Passed
Propoxur	0.092	0.200	ND	Passed
Pyrethrins	0.065	1.000	ND	Passed
Pyridaben	0.092	0.200	ND	Passed
Spinetoram	0.092	1.000	ND	Passed
Spinosyn AD	0.092	0.200	ND	Passed
Spiromesifen	0.092	0.200	ND	Passed
Spirotetramat	0.092	0.200	ND	Passed
Spiroxamine	0.092	0.200	ND	Passed
Tebuconazole	0.092	0.400	ND	Passed
Thiacloprid	0.092	0.200	ND	Passed
Thiamethoxam	0.092	0.200	ND	Passed
Trifloxystrobin	0.092	0.200	ND	Passed
Captan		1.000	TIC	Passed
Methyl Parathion	0.092	0.200	ND	Passed
Chlordane	0.092	1.000	ND	Passed
Chlorfenapyr	0.092	1.000	ND	Passed
PCNB	0.092	1.000	ND	Passed
Azadirachtin	0.116	1.000	ND	Passed
Chlormequat Chloride	0.023	1.000	ND	Passed

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

ACCREDITED CERT #7425.01

Kimberly Krisolofsky
Lead Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.